

Goat IgG-heavy and light chain Antibody

Serum

Produced in Rabbit

Catalog No.

A50-100



Storage: 2 - 8 C

Amount: 2 ml

Buffer: Serum containing 0.1% Sodium Azide

Shelf Life: 2 years from date of receipt

Production Procedures: By immunoelectrophoresis, the antiserum reacts specifically with goat IgG and with light chains common to other goat immunoglobulins. No antibody was detected against non-immunoglobulin serum proteins.

This antibody may cross react with IgG from other species.

Country of Origin: USA

Notes: For In vitro laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

This product may not be resold or modified for resale without the prior written approval of Bethyl Laboratories, Inc.

Applications: For use in precipitin gel reactions; such as, immunoelectrophoresis and double diffusion Ouchterlony. Optimal working dilutions should be determined experimentally by the investigator.

Related Products:	Rabbit anti-Goat IgG-heavy and light chain Antibody Affinity Purified	A50-100A
	Rabbit anti-Goat IgG-heavy and light chain Antibody Alkaline Phosphatase Conjugated	A50-100AP
	Rabbit anti-Goat IgG-heavy and light chain Antibody FITC Conjugated	A50-100F
	Rabbit anti-Goat IgG-heavy and light chain Antibody HRP Conjugated	A50-100P
	Donkey anti-Goat IgG-heavy and light chain Antibody	A50-101
	Donkey anti-Goat IgG-heavy and light chain Antibody Affinity Purified	A50-101A
	Donkey anti-Goat IgG-heavy and light chain Antibody Alkaline Phosphatase Conjugate	A50-101AP
	Donkey anti-Goat IgG-heavy and light chain Antibody FITC Conjugated	A50-101F
	Donkey anti-Goat IgG-heavy and light chain Antibody HRP Conjugated	A50-101P

Catalog No.

A50-100

MATERIAL SAFETY DATA SHEET

Contents Description

This product contains Serum containing 0.1% Sodium Azide

Hazardous Ingredients

Rabbit serum - No known toxicity for this biological material.

Sodium Azide (NaN_3) - AZIDE FORMS EXPLOSIVE CHEMICAL COMPOUNDS WITH LEAD AND COPPER PLUMBING. CARE MUST BE TAKEN TO WASH WASTE DOWN DRAINS WITH LARGE VOLUMES OF WATER.
LD50 oral mouse - 27 mg/kg.

Wash all affected areas with large volumes of water and if swallowed consult your physician immediately.

The above information is believed to be correct but does not purport to be all-inclusive and is intended to be used only as a guide. Bethyl Laboratories, Inc. shall not be liable or responsible in any way for use of either this information or the material supplied. Disposal of hazardous material may be subject to federal, state, or local laws or regulations.