

Anti- At 2S3M (2S3 Albumin) antibody, rabbit polyclonal

81-122 200 µg

Storage: Ship at 4°C and store at -20°C. Do not freeze.

Reactivity: Reacts with *A thaliana* 2S albumin (precursor and large subunit). Not tested in other species

Immunogen: Synthetic peptide (C)AARAVSLQGQHGPFFQSRKIY, whose sequence is derived from the large subunit of Arabidopsis 2S3 albumin.

Applications:

1. Western blotting (1/10,000~1/20,000)
2. Immuno-electron microscopy (1/500)
3. ELISA (Assay dependent)

Form: 2 mg/ml in PBS, 50% glycerol. Filter-sterilized. No preservative or carrier protein

Purity: IgG fraction purified by protein A/G affinity-chromatography from rabbit antiserum

Background: 2S seed storage protein 3, one of major seed storage proteins is synthesized on the endoplasmic reticulum as precursor and then transported to storage vacuoles, where it is processed by an asparaginyl endopeptidase to produce two mature polypeptides referred to as large and small subunits which are linked by disulfide bonds

Subcellular location: Vacuole

Data Link: UniProtKB:[P15459](http://www.uniprot.org/entry/P15459) (2SS3_ARATH)




Fig.1 Western Blot of the precursor 2S albumin and the 2S large subunit of the mature form in extract of arabidopsis dry seeds.

Samples

1.:Wild type

2~4:Mutants that accumulate the precursors of major storage proteins (mag5-1, mag2-1, and mag4-1)

Left panel:Western blot with anti-At 2S3M antibody (1/2,500 dilution).

Right panel: SDS-PAGE of extracts of dry seeds.

p2S (Precursor of 2S), 2S-L (Large subunit of 2S)

References: This antibody has been used in the following publications.

1. Takagi J., et al. MAIGO5 functions in protein export from Golgi-associated endoplasmic reticulum exit sites in Arabidopsis. [Plant Cell](#). 2013 Nov;25(11):4658-75. PMID:[24280388](#) WB, Immunoelectron Microscopy (Arabidopsis)

Related products.

81-121 Anti-At 2S3P (2S Albumin precursors) antibody, rabbit polyclonal

81-123 Anti-At 12S (12S Globulin) antibody, rabbit polyclonal