

Anti human TR4 mouse monoclonal antibody

TR4: Tasticular receptor 4

Code No PP-H0107B-00

Clone No. H0107B

Lot. A-1

Concentration 1 mg/mL

Volume 100 uL

Ig Class G2a

Description TR4(TAK1, NR2C2) is a member of orphan nuclear receptor. TR4 was originally cloned from lymphoblastoma Raji cells or mouse brain cDNA library. No ligand has been reported. Northern blot shows TR4 is transcribed as a 9kb mRNA in many tissues and as a 2.8kb mRNA in testis, mainly in spermatocytes. TR4 has two isoforms called TR4alpha1 and TR4 alpha2, which differ in 19 amino acids coded by two separate exons. Both products translated from 9kb transcript are ubiquitously expressed. Since TR4 binds to the same elements for the RAR-RXR or TR-RXR heterodimers, TR4 may have an inhibitory effect for retinoic-acid mediated transactivation.

Nomenclature NR2C2

Genbank L27586

Origin Produced in BALB/c mouse ascites after inoculation with hybridoma of mouse myeloma cells (NS-1) and spleen cells derived from a BALB/c mouse immunized with Baculovirus-expressed recombinant human TR4 (23-52 aa).

Specificity This antibody specifically recognizes human TR4 and cross reacts with mouse and rat TR4.

Purification Ammonium sulfate fractionation

Formulation Physiological saline with 0.1% NaN3 as a preservative.

Application / Recommended Concentration

In order to obtain the best results, optimal working dilutions should be determined by each individual user.

Western Blot 2 ug/mL

Non reducing Western Blot Not yet tested


ELISA 0.1 ug/mL (A450=0.2)

Immunoprecipitation Decide by use

Supershift Assay Not yet tested

Chromatin immunoprecipitation Not yet tested

Immunohistochemistry 10µg/mL



Rat cerebellum
Purkinje cells and granular cells

Rat testis
primary and secondary
spermatocytes

Storage Store at 2 - 8 °C up to one month. For long-term storage, the solution may be frozen in working aliquots. Repeated freezing and thawing is not recommended. Storage in a frost-free freezer is not recommended.

Reference

Notes Sodium azide may react with lead and copper plumbing to form explosive metal azides. Flush with large amounts of water during disposal.

FOR RESEARCH ONLY. NOT FOR USE IN HUMANS.

Not for Diagnostic or Therapeutic use. Purchase of this product does not include or carry any right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written consent of Perseus Proteomics Inc. is prohibited.

MADE IN JAPAN

Aug 29, 2006