

9F, No. 108, Jhouzih St.,Taipei, Taiwan Tel: + 886-2-8751-1888 Fax: + 886-2-6602-1218 E-mail: sales@abnova.com

## **Datasheet**

## ABCF2 monoclonal antibody (M01), clone 1D11

Catalog Number: H00010061-M01

Regulatory Status: For research use only (RUO)

**Product Description:** Mouse monoclonal antibody raised against a partial recombinant ABCF2.

Clone Name: 1D11

 $\label{eq:mmunogen: ABCF2} \begin{tabular}{ll} \textbf{Immunogen:} & ABCF2 (AAH01661, 1 a.a. $\sim 110 a.a) \\ \textbf{partial recombinant protein with GST tag. MW of the} \\ \end{tabular}$ 

GST tag alone is 26 KDa.

## Sequence:

MPSDLAKKKAAKKKEAAKARQRPRKGHEENGDVVTE PQVAEKNEANGRETTEVDLLTKELEDFEMKKAAARAV TGVLASHPNSTDVHIINLSLTFHGQELLSDTKLELNS

Host: Mouse

Reactivity: Human

Applications: ELISA, IHC-P, IP, RNAi-Ab, S-ELISA,

WB-Ce, WB-Re, WB-Tr

(See our web site product page for detailed applications

information)

Protocols: See our web site at

http://www.abnova.com/support/protocols.asp or product

page for detailed protocols

Isotype: IgG2a Kappa

Storage Buffer: In 1x PBS, pH 7.4

Storage Instruction: Store at -20°C or lower. Aliquot to

avoid repeated freezing and thawing.

Entrez GenelD: 10061

Gene Symbol: ABCF2

Gene Alias: ABC28, DKFZp586K1823, EST133090,

HUSSY-18, HUSSY18, M-ABC1

**Gene Summary:** The protein encoded by this gene is a member of the superfamily of ATP-binding cassette

(ABC) transporters. ABC proteins transport various molecules across extra- and intracellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, and White). This protein is a member of the GCN20 subfamily. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq]