

9F, No. 108, Jhouzih St.,Taipei, Taiwan Tel: + 886-2-8751-1888 Fax: + 886-2-6602-1218 E-mail: sales@abnova.com

## Datasheet

## HTATIP (Human) Recombinant Protein (Q01)

Catalog Number: H00010524-Q01

Regulation Status: For research use only (RUO)

**Product Description:** Human HTATIP partial ORF ( NP\_874369, 437 a.a. - 546 a.a.) recombinant protein with GST-tag at N-terminal.

## Sequence:

KPLSDLGLLSYRSYWSQTILEILMGLKSESGERPQITIN EISEITSIKKEDVISTLQYLNLINYYKGQYILTLSEDIVDG HERAMLKRLLRIDSKCLHFTPKDWSKRGKW

Host: Wheat Germ (in vitro)

Theoretical MW (kDa): 37.84

**Applications:** AP, Array, ELISA, WB-Re (See our web site product page for detailed applications information)

**Protocols:** See our web site at http://www.abnova.com/support/protocols.asp or product page for detailed protocols

Preparation Method: *in vitro* wheat germ expression system

Purification: Glutathione Sepharose 4 Fast Flow

**Storage Buffer:** 50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

**Storage Instruction:** Store at -80 °C. Aliquot to avoid repeated freezing and thawing.

Entrez GenelD: 10524

Gene Symbol: KAT5

**Gene Alias:** ESA1, HTATIP, HTATIP1, PLIP, TIP, TIP60, cPLA2

**Gene Summary:** The protein encoded by this gene belongs to the MYST family of histone acetyl transferases (HATs) and was originally isolated as an HIV-1 TAT-interactive protein. HATs play important roles in regulating chromatin remodeling, transcription and other nuclear processes by acetylating histone and nonhistone proteins. This protein is a histone acetylase that has a role in DNA repair and apoptosis and is thought to play an important role in signal transduction. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq]