

9F, No. 108, Jhouzih St., Taipei, Taiwan Tel: + 886-2-8751-1888 Fax: + 886-2-6602-1218 E-mail: sales@abnova.com

## **Datasheet**

## CD86 monoclonal antibody, clone K86 (FITC)

Catalog Number: MAB12416

Regulatory Status: For research use only (RUO)

Product Description: Mouse monoclonal antibody

raised against human CD86.

Clone Name: K86

Immunogen: CD86

Host: Mouse

Reactivity: Human

Applications: Flow Cyt, IF

(See our web site product page for detailed applications

information)

Protocols: See our web site at

http://www.abnova.com/support/protocols.asp or product

page for detailed protocols

Form: Liquid

Conjugation: FITC

Purification: Protein A/G affinity chromatography

Isotype: IgG1

Recommend Usage: Flow cytometry

Immunofluorescence

The optimal working dilution should be determined by

the end user.

Storage Buffer: In PBS, pH 7.4 (0.09% sodium azide,

0.2% BSA)

Storage Instruction: Store at 4°C. Do not freeze.

Entrez GenelD: 942

Gene Symbol: CD86

Gene Alias: B7-2, B70, CD28LG2, LAB72, MGC34413

Gene Summary: This gene encodes a type I membrane

protein that is a member of the immunoglobulin superfamily. This expressed protein is antigen-presenting cells, and it is the ligand for two proteins at the cell surface of T cells, CD28 antigen and cytotoxic T-lymphocyte-associated protein 4. Binding of this protein with CD28 antigen is a costimulatory signal for activation of the T-cell. Binding of this protein with cytotoxic T-lymphocyte-associated protein 4 negatively regulates T-cell activation and diminishes the immune response. Alternative splicing results in two transcript variants encoding different isoforms. Additional transcript variants have been described, but their full-length sequences have not been determined. [provided by RefSeq1