

www.abnova.com

9F, No. 108, Jhouzih St.,Taipei, Taiwan Tel: + 886-2-8751-1888 Fax: + 886-2-6602-1218 E-mail: sales@abnova.com

Datasheet

ITGA2B monoclonal antibody, clone MEM-06 (FITC)

Catalog Number: MAB4430

Regulatory Status: For research use only (RUO)

Product Description: Mouse monoclonal antibody raised against native ITGA2B.

Clone Name: MEM-06

Immunogen: Native purified ITGA2B from leukocytes of a patient suffering from a LGL-type leukemia.

Host: Mouse

Reactivity: Human

Applications: Flow Cyt

(See our web site product page for detailed applications information)

Protocols: See our web site at

http://www.abnova.com/support/protocols.asp or product page for detailed protocols

Specificity: This antibody reacts with CD41 (GPIIb), a transmembrane glycoprotein (integrin family) composed of two chains GPIIb alpha (heavy chain; 120 KDa) and GPIIb beta (light chain; 23 KDa). CD41 is mainly expressed on platelets and megakaryocytes.

Form: Liquid

Conjugation: FITC

Isotype: IgG1

Recommend Usage: Flow Cytometry (20 ul in human blood cells 100 ul in whole blood or 10⁶ cells in a suspension)

The optimal working dilution should be determined by the end user.

Storage Buffer: In PBS (0.2% BSA, 0.09% sodium azide)

Storage Instruction: Store in the dark at 4°C. Do not freeze.

Avoid prolonged exposure to light. Aliquot to avoid repeated freezing and thawing.

Entrez GenelD: 3674

Gene Symbol: ITGA2B

Gene Alias: CD41, CD41B, GP2B, GPIIb, GTA, HPA3

Gene Summary: ITGA2B encodes integrin alpha chain 2b. Integrins are heterodimeric integral membrane proteins composed of an alpha chain and a beta chain. Alpha chain 2b undergoes post-translational cleavage to yield disulfide-linked light and heavy chains that join with beta 3 to form a fibronectin receptor expressed in platelets that plays a crucial role in coagulation. Mutations that interfere with this role result in thrombasthenia. In addition to adhesion, integrins are known to participate in cell-surface mediated signalling. [provided by RefSeq]

References:

1. CD41-YFP mice allow in vivo labeling of

megakaryocytic cells and reveal a subset of platelets hyperreactive to thrombin stimulation. Zhang J, Varas F, Stadtfeld M, Heck S, Faust N, Graf T. Exp Hematol. 2007 Mar;35(3):490-499.

2. CD41 expression defines the onset of primitive and definitive hematopoiesis in the murine embryo. Ferkowicz MJ, Starr M, Xie X, Li W, Johnson SA, Shelley WC, Morrison PR, Yoder MC. Development. 2003 Sep;130(18):4393-403.

3. Expression of CD41 on hematopoietic progenitors derived from embryonic hematopoietic cells. Mitjavila-Garcia MT, Cailleret M, Godin I, Nogueira MM, Cohen-Solal K, Schiavon V, Lecluse Y, Le Pesteur F, Lagrue AH, Vainchenker W. Development. 2002 Apr;129(8):2003-13.