

9F, No. 108, Jhouzih St.,Taipei, Taiwan Tel: + 886-2-8751-1888 Fax: + 886-2-6602-1218 E-mail: sales@abnova.com

## **Datasheet**

## Cd40 monoclonal antibody, clone 1C10 (FITC)

Catalog Number: MAB5931

Regulatory Status: For research use only (RUO)

Product Description: Rat monoclonal antibody raised

against partial Cd40.

Clone Name: 1C10

Immunogen: Extracelluar domain of mouse Cd40.

Host: Rat

Reactivity: Mouse

Applications: Flow Cyt, IP

(See our web site product page for detailed applications

information)

Protocols: See our web site at

http://www.abnova.com/support/protocols.asp or product

page for detailed protocols

Specificity: Specificity Mouse CD40, Mr 45-50 KDa

Form: Liquid

Conjugation: FITC

Isotype: IgG2a, kappa

**Recommend Usage:** Flow Cytometry (2 ug/10<sup>6</sup> cells) The optimal working dilution should be determined by

the end user.

Storage Buffer: In PBS (0.09% sodium azide)

Storage Instruction: Store in the dark at 4°C. Do not

freeze.

Avoid prolonged exposure to light.

Aliquot to avoid repeated freezing and thawing.

Entrez GenelD: 21939

Gene Symbol: Cd40

Gene Alias: Al326936, Bp50, GP39, HIGM1, IGM,

IMD3, T-BAM, TRAP, Tnfrsf5, p50

## References:

- 1. Monoclonal antibodies to murine CD40 define two distinct functional epitopes. Heath AW, Wu WW, Howard MC. Eur J Immunol. 1994 Aug;24(8):1828-34.
- 2. Properties of mouse CD40: cellular distribution of CD40 and B cell activation by monoclonal anti-mouse CD40 antibodies. Hasbold J, Johnson-Leger C, Atkins CJ, Clark EA, Klaus GG. Eur J Immunol. 1994 Aug;24(8):1835-42.
- 3. Antibodies to murine CD40 protect normal and malignant B cells from induced growth arrest. Santos-Argumedo L, Gordon J, Heath AW, Howard M. Cell Immunol. 1994 Jul;156(2):272-85.