

www.abnova.com

9F, No. 108, Jhouzih St.,Taipei, Taiwan Tel: + 886-2-8751-1888 Fax: + 886-2-6602-1218 E-mail: sales@abnova.com

Datasheet

CD34 monoclonal antibody, clone QBEnd-10 (FITC)

Catalog Number: MAB6489

Regulatory Status: For research use only (RUO)

Product Description: Mouse monoclonal antibody raised against native CD34.

Clone Name: QBEnd-10

Immunogen: Native purified CD34 from human endothelial vesicles.

Host: Mouse

Theoretical MW (kDa): 110-115

Reactivity: Human, Non-Human Primates

Applications: Flow Cyt (See our web site product page for detailed applications information)

Protocols: See our web site at http://www.abnova.com/support/protocols.asp or product page for detailed protocols

Specificity: This antibody reacts with Class II epitope on CD34 (Mucosialin), a 110-115 KDa monomeric transmembrane phosphoglycoprotein expressed on hematopoietic progenitors cells and on the most pluripotential stem cells; it is gradually lost on progenitor cells. This antibody has been also used as an endothelial marker.

Form: Liquid

Conjugation: FITC

Isotype: IgG1

Recommend Usage: The optimal working dilution should be determined by the end user.

Storage Buffer: In PBS (0.2% BSA, 0.09% sodium azide)

Storage Instruction: Store in the dark at 4°C. Do not

freeze.

Avoid prolonged exposure to light. Aliquot to avoid repeated freezing and thawing.

Entrez GenelD: 947

Gene Symbol: CD34

Gene Alias: -

Gene Summary: CD34 is a monomeric cell surface antigen with a molecular mass of approximately 110 kD that is selectively expressed on human hematopoietic progenitor cells.[supplied by OMIM]

References:

1. Certain anti-CD34 monoclonal antibodies induce homotypic adhesion of leukemic cell lines in a CD18-dependent and a CD18-independent way. Traore Y, Hirn J. Eur J Immunol. 1994 Oct;24(10):2304-11.

2. QBEND/10 (anti-CD34 antibody) in external root

sheath cells and follicular tumors. Poblet E, Jimenez-Acosta F, Rocamora A. J Cutan Pathol. 1994 Jun;21(3):224-8.

 Rapid positive selection of CD34+ cells using magnetic microspheres coated with monoclonal antibody QBEND/10 linked via a cleavable disulphide bond.
Grimsley PG, Amos TA, Gordon MY, Greaves MF.
Leukemia. 1993 Jun;7(6):898-908.