

9F, No. 108, Jhouzih St.,Taipei, Taiwan Tel: + 886-2-8751-1888 Fax: + 886-2-6602-1218 E-mail: sales@abnova.com

## **Datasheet**

## Rabbit Anti-Bovine IgG (H&L) secondary antibody (Fluorescein)

Catalog Number: PAB10447

Regulatory Status: For research use only (RUO)

**Product Description:** Rabbit anti-bovine IgG recognizes bovine IgG whole molecule. This secondary antibody was purified using antigen affinity chromatography. The antibody is conjugated with Fluorescein.

Immunogen: Bovine IgG whole molecule

Host: Rabbit

Reactivity: Bovine

Applications: Flow Cyt, IF

(See our web site product page for detailed applications

information)

Protocols: See our web site at

http://www.abnova.com/support/protocols.asp or product

page for detailed protocols

Form: Lyophilized

Conjugation: FITC

**Purification:** This product was prepared from monospecific antiserum by immunoaffinity chromatography, followed by solid phase adsorption(s) to remove any unwanted reactivities.

Conjugation Note: 3.2 moles DTAF per mole of rabbit

**IgG** 

**Recommend Usage:** The optimal working dilution should be determined by the end user.

Storage Buffer: Lyophilized from 10 mM KH<sub>2</sub>PO<sub>4</sub>, 150

mM NaCl, pH 7.2 (0.01% sodium azide)

**Storage Instruction:** Store at 4°C on dry atmosphere. After reconstitution with 1 mL of deionized water, store at

-20°C or lower.

Aliquot to avoid repeated freezing and thawing.

## References:

1. Immunofluorescence using dichlorotriazinylaminofluorescein (DTAF). I. Preparation and fractionation of labelled IgG. Blakeslee D, Baines MG. J Immunol Methods. 1976;13(3-4):305-20.