

9F, No. 108, Jhouzih St.,Taipei, Taiwan Tel: + 886-2-8751-1888 Fax: + 886-2-6602-1218 E-mail: sales@abnova.com

Datasheet

Goat Anti-Pig IgG (H&L) secondary antibody (Peroxidase)

Catalog Number: PAB10788

Regulatory Status: For research use only (RUO)

Product Description: Goat anti-pig IgG recognizes pig IgG whole molecule. This secondary antibody was purified using antigen affinity chromatography. The antibody is conjugated with Peroxidase.

Immunogen: Pig IgG whole molecule

Host: Goat

Reactivity: Pig

Applications: Dot, EIA, ELISA, IHC, WB

(See our web site product page for detailed applications

information)

Protocols: See our web site at

http://www.abnova.com/support/protocols.asp or product

page for detailed protocols

Form: Lyophilized

Conjugation: HRP

Purification: This product was prepared from monospecific antiserum by immunoaffinity chromatography, followed by solid phase adsorption(s) to remove any unwanted reactivities.

Conjugation Note:

Recommend Usage: The optimal working dilution

should be determined by the end user.

Storage Buffer: Lyophilized from 10 mM potassium phosphate, 75 mM NaCl, 50% (v/v) glycerol, pH 7.2 (0.01% (w/v) gentamicLyophilized from sulfate (Do NOT add sodium azide!), 10 mg/mL BSA (ImmunoglobulLyophilized from and Protease free))

Storage Instruction: Store at 4°C on dry atmosphere. After reconstitution with 1 mL of deionized water, store at -20°C or lower.

Aliquot to avoid repeated freezing and thawing.

References:

1. Immunohistochemistry with enzyme labeled antibodies: a brief review. Farr AG, Nakane PK. J Immunol Methods. 1981;47(2):129-44.