

www.abnova.com

9F, No. 108, Jhouzih St.,Taipei, Taiwan Tel: + 886-2-8751-1888 Fax: + 886-2-6602-1218 E-mail: sales@abnova.com

Datasheet

Goat Anti-Rat IgG (H&L) secondary antibody (Fluorescein)

Catalog Number: PAB10857

Regulatory Status: For research use only (RUO)

Product Description: Goat anti-rat IgG recognizes rat IgG whole molecule. This secondary antibody was purified using antigen affinity chromatography. The antibody is conjugated with Fluorescein.

Immunogen: Rat IgG whole molecule

Host: Goat

Reactivity: Rat

Applications: Flow Cyt, IF (See our web site product page for detailed applications information)

Protocols: See our web site at http://www.abnova.com/support/protocols.asp or product page for detailed protocols

Form: Lyophilized

Conjugation: FITC

Purification: This product was prepared from monospecific antiserum by immunoaffinity chromatography, followed by solid phase adsorption(s) to remove any unwanted reactivities.

Conjugation Note: 3.5 moles FITC per mole of goat IgG

Recommend Usage: The optimal working dilution should be determined by the end user.

Storage Buffer: Lyophilized from 20 mM potassium phosphate, 150 mM NaCl, pH 7.2 (0.01% (w/v) sodium azide, 10 mg/mL BSA (ImmunoglobulLyophilized from and Protease free))

Storage Instruction: Store at 4°C on dry atmosphere. After reconstitution with deionized water, store at -20°C or lower.

Aliquot to avoid repeated freezing and thawing.

References:

1. Conjugation of fluorescein isothiocyanate to antibodies. I. Experiments on the conditions of conjugation. The TH, Feltkamp TE. Immunology. 1970 Jun;18(6):865-73.