

9F, No. 108, Jhouzih St.,Taipei, Taiwan Tel: + 886-2-8751-1888 Fax: + 886-2-6602-1218 E-mail: sales@abnova.com

Datasheet

SREBF1 polyclonal antibody (DyLight 488)

Catalog Number: PAB15201

Regulatory Status: For research use only (RUO)

Product Description: Rabbit polyclonal antibody raised

against synthetic peptide of SREBF1.

Immunogen: A synthetic peptide corresponding to

amino acids 300-400 of human SREBF1.

Host: Rabbit

Reactivity: Mouse, Pig, Rat

Applications: WB

(See our web site product page for detailed applications

information)

Protocols: See our web site at

http://www.abnova.com/support/protocols.asp or product

page for detailed protocols

Specificity: This is specific to SREBP1. By Western blot

a band is seen at ~65KDa.

Form: Liquid

Conjugation: DyLight 488

Recommend Usage: Western Blot (2 ug/mL)

The optimal working dilution should be determined by

the end user.

Storage Buffer: In 50 mM sodium borate

Storage Instruction: Store at 4°C. Do not freeze.

Entrez GenelD: 6720

Gene Symbol: SREBF1

Gene Alias: SREBP-1c, SREBP1, bHLHd1

Gene Summary: This gene encodes a transcription factor that binds to the sterol regulatory element-1 (SRE1), which is a decamer flanking the low density lipoprotein receptor gene and some genes involved in

sterol biosynthesis. The protein is synthesized as a precursor that is attached to the nuclear membrane and endoplasmic reticulum. Following cleavage, the mature protein translocates to the nucleus and activates transcription by binding to the SRE1. Sterols inhibit the cleavage of the precursor, and the mature nuclear form is rapidly catabolized, thereby reducing transcription. The protein of the basic is а member helix-loop-helix-leucine zipper (bHLH-Zip) transcription factor family. This gene is located within the Smith-Magenis syndrome region on chromosome 17. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]