

## Acris Antibodies, Inc.

6815 Flanders Drive, Suite 140 San Diego, CA 92121 UNITED STATES Phone: +1-858-888-7900

Phone: +1-858-888-7900 Fax: +1-858-888-7904 <u>US-info@acris-antibodies.com</u> AM08045PU-N

#### **Acris Antibodies GmbH**

Schillerstr. 5 32052 Herford GERMANY

Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info@acris-antibodies.com

# Monoclonal Antibody to CD45 / LCA (CD45RB) - Purified

Alternate names: L-CA, Leukocyte common antigen, PTPRC, Receptor-type tyrosine-protein phosphatase C,

T200

Catalog No.: AM08045PU-N

Quantity: 0.5 mg
Concentration: 0.5 mg/ml

Background: CD45RB is an isoform of CD45 with exon 5 splicing (encodes B determinant). It is a 220 kD

glycoprotein expressed on peripheral B cells, naïve T cells, thymocytes, weakly on

macrophages, and dendritic cells. It plays a critical role in TCR and BCR signaling. As T cells

become activated and progress from naïve to memory cells, CD45RB expression is downregulated. Additionally, functionally distinct CD4 T cell subsets, which secrete differing cytokine profiles, can be separated by CD45RB intensity. The primary ligands for

CD45 are galectin-1, CD2, CD3, CD4 and Thy-1.

Distribution: Peripheral B cells, naïve T cells, most thymocytes, low density on

macrophages and dendritic cells.

Function: Phosphatase, T cell development and activation Structure: Phosphatase receptor

(CD45 gene exon 5), 220 kD

 Uniprot ID:
 P06800

 NCBI:
 10090

 Host / Isotype:
 Rat / IgG2a

 Clone:
 C363.16A

Immunogen: Cloned mouse Th2 cell lines. (Ref.1)

Format: State: Liquid purified Ig fraction.

**Buffer System:** 100 mM Borate Buffered Saline, pH 8.2. No preservatives or amine-containing buffer salts added.

**Applications:** Flow Cytometry. (Ref.1-3)

Immunoprecipitation. (Ref.2)

Other applications not tested. Optimal dilutions are dependent on conditions and should

be determined by the user.

**Specificity:** This antibody is specific to an exon B-dependent epitope of CD45 glycoprotein.

Species: Mouse.

Other species not tested.

Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing. Shelf life: one year from despatch.



## AM08045PU-N: Monoclonal Antibody to CD45 / LCA (CD45RB) - Purified

### **General Readings:**

- 1. Bottomly, K., M. Luqman, L. Greenbaum, S. Carding, J. West, T. Pasqualini, and D.B. Murphy. 1989. Eur. J. Immunol. 19:617.
- 2. Hathcock, K.S., G. Laslo, H.B. Dickler, S.O. Sharrow, P. Johnson, I.S. Trowbridge, and R.J. Hodes. 1992. J. Immuol. 148:19.
- 3. Johnson, P., L. Greenbaum, K. Bottomly, and I.S. Trowbridge. 1989. J. Exp. Med. 169:1179.
- 4. Birkeland, M.L., et al. 1988. J. Mol. Cell. Immunol. 4:71.

