

Monoclonal Antibody to CD80 - PE

Alternate names:	Activation B7-1 antigen, B7-1, B7.1, BB1, CD28LG, CD28LG1, CTLA-4 counter-receptor B7.1, LAB7, T-lymphocyte activation antigen CD80
Catalog No.:	AM08052RP-N
Quantity:	0.2 mg
Concentration:	0.1 mg/ml
Background:	<p>CD80 (B7-1) is a type I transmembrane glycoprotein and a member of the immunoglobulin superfamily of cell surface receptors. It is constitutively expressed by dendritic cells, monocytes, and peritoneal macrophages. Expression of CD80 on B cells is upregulated after activation by various means including stimulation by LPS, IL-4, and surface Ig receptor cross linking with peak expression occurring between 48 and 72 hours postactivation. (Ref.1-4)</p> <p>The interaction of CD80/B7-1 with its ligands, CD28 and CD152/CTLA-4, provides a potent costimulatory signal for T cells activated through the CD3/T cell receptor complex. (Ref.5,6). This Monoclonal antibody 1G10 blocks binding of CTLA-4 to CD80, but it does not block stimulation of T cells by natural antigenpresenting cells. (Ref.2,7).</p>
Uniprot ID:	Q00609
NCBI:	NP_033985.3
GeneID:	12519
Host / Isotype:	Rat / IgG2a
Clone:	1G10
Format:	State: Liquid purified Ig fraction. Buffer System: PBS containing 0.09% Sodium Azide as preservative and a stabilizing agent. Label: PE – R-Phycoerythrin
Applications:	Flow Cytometry: < / = 0.2 µg/10e6 cells. (Ref.2,7) Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.
Specificity:	This antibody recognises CD80/B7-1 (Mr. 45-47 kDa) Species: Mouse. Other species not tested.
Storage:	Store the antibody undiluted at 2-8°C. DO NOT FREEZE! This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing. Shelf life: one year from despatch.

- General Readings:**
1. Nabavi, N., G. J. Freeman, A. Gault, D. Godfrey, L. M. Nadler, and L. H. Glimcher. 1992. *Nature* 360:266
 2. Chen, C., D. A. Faherty, A. Gault, S. E. Connaughton, G. D. Powers, D. I. Godfrey, and N. Nabavi. 1996. *J. Immunol.* 152:2105.
 3. Natesan, M., Z. Razi-Wolf, and H. Reiser. 1996. *J. Immunol.* 156:2783.
 4. Razi-Wolf, Z., G. J. Freeman, F. Galvin, B. Benacerraf, L. Nadler, and H. Reiser. 1992. *Proc. Natl. Acad. Sci. U. S. A.* 89:4210.
 5. Hathcock, K. S., G. Laszlo, C. Pucillo, P. Linsley, and R. J. Hodes. 1994. *J. Exp. Med.* 180:631.
 6. Bluestone, J.A. 1995. *Immunity* 2:255.
 7. Powers, G. D., D. A. Faherty, S. E. Connaughton, D. A. Biondi, D. I. Godfrey, A. Gault, C. Y. Chen, and N. Nabavi. 1994. *Cell Immunol.* 153:298.

For research and in vitro use only. Not for diagnostic or therapeutic work.

Material Safety Datasheets are available at www.acris-antibodies.com or on request.

Antibody Hotline - Technical Questions - Antibody Location Service
Free Call: 0800-2274746 (Germany only) - www.acris-antibodies.com