

Acris Antibodies, Inc.

6815 Flanders Drive, Suite 140 San Diego, CA 92121 UNITED STATES Phone: +1-858-888-7900

Phone: +1-858-888-7900 Fax: +1-858-888-7904 <u>US-info@acris-antibodies.com</u>

Acris Antibodies GmbH

Schillerstr. 5 32052 Herford GERMANY

AM08081RP-N

Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info@acris-antibodies.com

Monoclonal Antibody to MHC Class I H2 Kd/Dd - PE

Catalog No.: AM08081RP-N

Quantity: 0.1 mg
Concentration: 0.1 mg/ml

Background: The 'classical' MHC Class I molecules are histocompatibility antigens encoded by the H-2

gene complex and consist of heterodimers of highly polymorphic alpha chains

noncovalently associated with the invariant beta 2-Microglobulin. (Ref.3,4) These antigens are expressed on most nucleated cells but expression varies on different cell types. MHC Class I molecules present endogenously synthesized peptides to CD8+ T lymphocytes, which are usually cytotoxic T cells. (Ref.5) MHC Class I antigens expressed on thymic epithelial cells regulate the positive and negative selection of CD8+ T cells during T cell

ontogeny. (Ref.3,6)

Host / Isotype: Mouse / IgG2a

Clone: 34-1-2S

OG/20130514

Immunogen: C3HalphaBDF1 mouse splenocytes.

Format: State: Liquid purified lg fraction.
Purification: Liquid purified lg fraction.

Buffer System: PBS containing 0.09% Sodium Azide as preservative and a stabilizing

gent.

Label: PE - R-Phycoerythrin

Applications: Flow Cytometry: $\langle \ \ | = 1 \, \mu g / 10e6 \, \text{cells.}$

Immunohistochemistry (Acetone-Fixed, Frozen Tissue Sections).

Other applications not tested. Optimal dilutions are dependent on conditions and should

be determined by the user.

Specificity: This antibody is specific to an epitope in the alpha 3 domain that is common to H-2Kd and

H-2Dd. It binds to a common determinant in the alpha 3 domains of H-2Kd and H-2Dd in the

presence or absence of beta 2 Microglobulin. (Ref.7,8) It cross reacts with the alpha 3 domain of H-2Kb. (Ref.1,2)

Species: Mouse.

Other species not tested.

Storage: Store the antibody undiluted at 2-8°C.

DO NOT FREEZE!

This product is photosensitive and should be protected from light.

Avoid repeated freezing and thawing. Shelf life: one year from despatch.

General Readings: 1. Ozato, K., T.H. Hansen, and D.H. Sachs. 1980. J. Immunol. 125:2473.

2. Ozato, K., and D.H. Sachs. 1981. J. Immunol. 126:317.

For research and in vitro use only. Not for diagnostic or therapeutic work.

Material Safety Datasheets are available at www.acris-antibodies.com or on request.



AM08081RP-N: Monoclonal Antibody to MHC Class I H2 Kd/Dd - PE

- 3. Lawlor, D.A., et al. 1990. Annu. Rev. Immunol. 8:23.
- 4. Bjorkman, P.J., et al. 1987. Nature 329:506.
- 5. Yewdell, J.W., and J.R. Bennett. 1990. Cell 62:203.
- 6. Zijlstra, M., et al. 1990. Nature 344:742.
- 7. Allen, H., D. Wraith, P. Pala, B. Askonas, and R.A. Flavell. 1984. Nature 309:279.
- 8. Allen, H, J. Fraser, D. Flyer, S. Calvin, and R. Flavell. 1986. Proc. Natl. Acad. Sci. USA 83:7447

