

Acris Antibodies, Inc.

6815 Flanders Drive, Suite 140 San Diego, CA 92121 UNITED STATES

Phone: +1-858-888-7900 Fax: +1-858-888-7904 US-info@acris-antibodies.com

Acris Antibodies GmbH

Schillerstr. 5 32052 Herford GERMANY

AM08140FC-N

Phone: +49-5221-34606-0 Fax: +49-5221-34606-11 info@acris-antibodies.com

Monoclonal Antibody to CD44 - FITC

Alternate names: CDw44, ECMR-III, Epican, Extracellular matrix receptor III, GP90 lymphocyte

homing/adhesion receptor, HUTCH-I, Heparan sulfate proteoglycan, Hermes antigen, Hyaluronate receptor, LHR, MDU2, MDU3, MIC4, PGP-1, Phagocytic glycoprotein 1

Catalog No.: AM08140FC-N

Quantity: 0.5 mg
Concentration: 0.5 mg/ml

Background: CD44 is a type 1 transmembrane glycoprotein also known as Phagocytic Glycoprotein 1 (pgp

1) and HCAM. CD44 is the receptor for hyaluronate and exists as a large number of different isoforms due to alternative RNA splicing. The major isoform expressed on lymphocytes, myeloid cells, and erythrocytes is a glycosylated type 1 transmembrane protein. Other isoforms contain glycosaminoglycans and are expressed on hematopoietic and non hematopoietic cells. CD44 is involved in adhesion of leukocytes to endothelial cells,

stromal cells, and the extracellular matrix.

 Uniprot ID:
 Q9W6S4

 NCBI:
 9031

Host / Isotype: Mouse / IgG1

Clone: AV6

Format: State: Liquid purified lg fraction.

Buffer System: PBS containing 0.09% Sodium Azide as preservative.

Label: FITC - Fluorescein Isothiocyanate Isomer 1

Applications: Flow Cytometry: $\langle \ \ | = 1 \, \mu g / 10e6 \, cells.$

Other applications not tested. Optimal dilutions are dependent on conditions and should

be determined by the user.

Specificity: This antibody is specific to Chicken CD44 (Mr 90 kDa).

It also reacts with IgM+ Turkey B cells and a subset of Turkey lymphocytes.

Species: Chicken and Turkey. Other species not tested.

Storage: Store the antibody undiluted at 2-8°C for one month or in (aliquots) at -20°C for longer.

This product is photosensitive and should be protected from light.

Avoid repeated freezing and thawing. Shelf life: one year from despatch.

General Readings: 1. Davison, T.F. Personal Communication.

2. Lazaar, A. L., and E. Pure. 1995. The Immunologist 3:19.

3. Puré E, Camp RL, Peritt D, Panettieri RA, Lazaar AL, Nayak S. Defective phosphorylation and hyaluronate binding of CD44 with point mutations in the cytoplasmic domain. J Exp

Med. 1995 Jan 1;181(1):55-62. PubMed PMID: 7528778.

For research and in vitro use only. Not for diagnostic or therapeutic work.

Material Safety Datasheets are available at www.acris-antibodies.com or on request.

Antibody Hotline - Technical Questions - Antibody Location Service

