

Polyclonal Antibody to Mouse IgG [H&L] -FITC-

Alternate names: Mouse Immunoglobulin G

Catalog No.: R1256F Quantity: 2 mg

Concentration: 2.0 mg/ml (by UV absorbance at 280 nm)

Host: Sheep

Immunogen: Mouse IgG whole molecule.

Format: State: Lyophilized purified Ig fraction.

Purification: Immunoaffinity chromatography.

Buffer System: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2, containing 10 mg/ml BSA (IgG and Protease free) as stabilizer and 0.01% (w/v) Sodium Azide as

preservative.

Label: FITC – Fluorescein isothiocyanate, Molecular Weight 390 daltons)

Absorption / Emission: 495 nm / 528 nm

Molar Ratio: 2.2 moles FITC per mole of Sheep IgG.

Reconstitution: Restore with 1.0 ml of deionized water (or equivalent).

Applications: Suitable for Immunomicroscopy and Flow cytometry or FACS analysis as well as other

antibody based fluorescent assays requiring lot-to-lot consistency.

Other applications not tested. Optimal dilutions are dependent on conditions and should

be determined by the user.

Specificity: This product was prepared from monospecific antiserum by immunoaffinity

chromatography using Mouse IgG coupled to agarose beads followed by solid phase

adsorption(s) to remove any unwanted reactivities.

Assay by immunoelectrophoresis resulted in a single precipitin arc against

anti-Fluorescein, anti- Sheep Serum, Mouse IgG and Mouse Serum.

Store vial at 2-8°C prior to restoration. For extended storage add glycerol to 50% and then

aliquot contents and freeze at -20°C or below. Centrifuge product if not completely clear

after standing at room temperature.

This antibody is stable for one month at 2-8°C as an undiluted liquid.

Dilute only prior to immediate use. Avoid repeated freezing and thawing. Shelf life: One year from despatch.

Product Citation: Purified antibody is cited in:

JOSÉ JOÃO CARVALHO, MARIA ASTRID WALTER, YVONNE BAERMANN-STAPEL, MICHAEL G. WELLER, ULRICH PANNE, JÖRG A. SCHENK, and RUDOLF J. SCHNEIDER: Non-invasive Monitoring of Immunization Progress in Mice via IgG from Feces; In Vivo, Jan 2012; 26: 63 -

69.



R1256F: Polyclonal Antibody to Mouse IgG [H&L] -FITC-

General References: The and Feltkamp, Immunology 18; 865, 1970. (Conjugation)