

## Polyclonal Antibody to Chicken IgG [H&L]

<b>Alternate names:</b>	Chicken IgY
<b>Catalog No.:</b>	R1303P
<b>Quantity:</b>	1 mg
<b>Concentration:</b>	1.9 mg/ml (lot specific)
<b>Host:</b>	Goat
<b>Immunogen:</b>	Chicken IgG whole molecule.
<b>Format:</b>	<b>State:</b> Liquid (sterile filtered) purified Ig fraction. <b>Purification:</b> Immunoaffinity chromatography. <b>Buffer System:</b> PBS pH 7.2 containing 0.01% sodium azide as a preservative.
<b>Applications:</b>	Suitable for Immunoprecipitation, Immunodiffusion, Conjugation and most immunological methods requiring lot-to-lot consistency, high titer and specificity. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.
<b>Specificity:</b>	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Chicken IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Chicken IgG and Chicken Serum. No reaction was observed against Bovine, Goat, Guinea Pig, Hamster, Horse, Human, Mouse, Rabbit, Rat and Sheep Serum Proteins
<b>Storage:</b>	Store the antibody (undiluted) at 2-8°C for one month or (in aliquots) at -20°C for longer. Dilute only prior to immediate use. Avoid repeated freezing and thawing. Shelf life: One year from despatch.

**For research and in vitro use only. Not for diagnostic or therapeutic work.**

Material Safety Datasheets are available at [www.acris-antibodies.com](http://www.acris-antibodies.com) or on request.

Antibody Hotline - Technical Questions - Antibody Location Service  
Free Call: 0800-2274746 (Germany only) - [www.acris-antibodies.com](http://www.acris-antibodies.com)