

Monoclonal Antibody to CD35 / C3BR - FITC

Alternate names:	C3b/C4b receptor, CR1, Complement receptor type 1
Catalog No.:	SM1097F
Quantity:	0.1 mg
Concentration:	0.1 mg/ml
Background:	CD35 is a single chain cell surface glycoprotein which exists in four allotypic forms (A,B,C,D) of 190kD, 220kD, 160kD and 250kD respectively. The molecule is expressed by granulocytes, monocytes, B cells and some T cells. Functionally CD35 acts as a receptor for the C3b component of complement.
Uniprot ID:	P17927
NCBI:	9606
Host / Isotype:	Mouse / IgG1
Clone:	E11
Immunogen:	Human acute monocytic leukaemia cells. Spleen cells from immunised BALB/c mice were fused with cells of the mouse NS1 myeloma cell line.
Format:	State: Liquid purified IgG fraction. Purification: Ion Exchange Chromatography. Buffer System: PBS, pH 7.4 containing 0.09% Sodium Azide as preservative and 1% BSA as stabilizer. Label: FITC – Fluorescein Isothiocyanate Isomer 1
Applications:	Flow Cytometry. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.
Specificity:	This antibody recognises the CD35 cell surface glycoprotein. Species: Human, Cynomolgus monkey, Baboon, Rhesus Monkey. Other species not tested.
Storage:	Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing. Shelf life: one year from despatch.
General References:	1. Hogg, N. et al. (1984) Identification of an anti-monocyte antibody that is specific for membrane complement receptor type 1 (CR1). <i>Eur. J. Immunol.</i> 14: 236 - 243. 2. Yoshino, N. et al. (2000) Upgrading of flow cytometric analysis for absolute counts, cytokines and other antigenic molecules of Cynomolgus monkeys (<i>Macaca fascicularis</i>) by using anti-human cross-reactive antibodies. <i>Exp. Anim.</i> 49: 97-110. 3. Birmingham, D. J. et al. (1996) The baboon erythrocyte complement receptor is

For research and in vitro use only. Not for diagnostic or therapeutic work.

Material Safety Datasheets are available at www.acris-antibodies.com or on request.

Antibody Hotline - Technical Questions - Antibody Location Service
Free Call: 0800-2274746 (Germany only) - www.acris-antibodies.com

glycophosphatidyl/insitolinked protein encoded by homologue of the human CR1 - like genetic element. J. Immunol. 157: 2586 - 2592.

4. Sopper, S. et al. (1997) Lymphocyte subsets and expression of differentiation markers in blood and lymphoid organs of Rhesus monkeys. Cytometry 29: 351-362.

For research and in vitro use only. Not for diagnostic or therapeutic work.

Material Safety Datasheets are available at www.acris-antibodies.com or on request.

Antibody Hotline - Technical Questions - Antibody Location Service
Free Call: 0800-2274746 (Germany only) - www.acris-antibodies.com