

## Monoclonal Antibody to CD200R - PE

Alternate names: CD200 Receptor 1, CD200 cell surface glycoprotein receptor, CD200R1, CRTR2, Cell surface

glycoprotein CD200 receptor 1, Cell surface glycoprotein OX2 receptor 1, MOX2R, OX2R

Catalog No.: SM2095R

Quantity: 100 Tests

Concentration: 0.1 mg/ml

Background: In mouse CD200R is expressed primarily by peripheral blood monocytes and neutrophils,

but also by other leucocytes including Tlymphocytes and mast cells. Studies suggest that CD200-CD200R interaction may be involved in the control of myeloid cellular function.

Uniprot ID: <u>Q9ES57</u>

NCBI: NP 067300.1

GenelD: <u>57781</u>

Host / Isotype: Rat / IgG2a Clone: OX-110

Immunogen: Fusion protein mCD200RCD4d3+4.

Format: State: Lyophilized purified IgG fraction.

Purification: Affinity Chromatography on Protein G.

Buffer System: PBS, pH7.4 containing 0.09% Sodium Azide and 1% Bovine Serum Albumin

Label: PE - R. Phycoerythrin (RPE)

Reconstitution: Restore with 1 ml distilled water

Applications: Flow Cytometry: The Fc region of monoclonal antibodies may bind non-specifically to cells

expressing low affinity fc receptors.

Other applications not tested. Optimal dilutions are dependent on conditions and should

be determined by the user.

**Specificity:** This antibody recognises CD200R, a cell surface glycoprotein (also known as OX2R).

Species: Mouse.

Other species not tested.

Storage: Store the antibody undiluted at 2-8°C.

DO NOT FREEZE!

This product is photosensitive and should be protected from light.


Shelf life: one year from despatch.

General References: 1. Wright. G.J. et al. (2003) Characterization of the CD200 Receptor family in mice and

humans and their interactions with CD200. J. Immunol. 171:3034-3046.



**Pictures:** 



Staining of mouse peripheral blood granulocytes with RAT ANTI MOUSE CD200R: RPE (SM2095R).