

## Polyclonal Antibody to Canine IgA FITC

<b>Alternate names:</b>	Dog IgA, Dog Immunoglobulin A
<b>Catalog No.:</b>	SP2001F
<b>Quantity:</b>	1 mg
<b>Concentration:</b>	1.0 mg/ml
<b>Host:</b>	Goat
<b>Immunogen:</b>	Purified canine IgA
<b>Format:</b>	<b>State:</b> Liquid IgG fraction <b>Purification:</b> Affinity chromatography <b>Buffer System:</b> PBS containing 0.09% Sodium Azide and 0.2% Bovine Serum Albumin <b>Label:</b> FITC – Fluorescein Isothiocyanate Isomer 1
<b>Applications:</b>	Flow Cytometry. Immunohistochemistry on frozen sections: 1/200 - 1/2000. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.
<b>Specificity:</b>	This antibody recognises IgA and shows no cross - reactivity with other immunoglobulin classes. <b>Species:</b> Dog. Other species not tested.
<b>Storage:</b>	Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing. This product is photosensitive and should be protected from light. Shelf life: one year from despatch.
<b>General References:</b>	1. Benyacoub, J. et al. (2003) Supplementation of food with Enterococcus faecium (SF68) stimulates immune functions in young dogs. J. Nutr. 133: 1158-1162.

**For research and in vitro use only. Not for diagnostic or therapeutic work.**

Material Safety Datasheets are available at [www.acris-antibodies.com](http://www.acris-antibodies.com) or on request.

Antibody Hotline - Technical Questions - Antibody Location Service  
Free Call: 0800-2274746 (Germany only) - [www.acris-antibodies.com](http://www.acris-antibodies.com)