



6352 CORTE DEL ABETO, STE B
CARLSBAD, CA 92011 USA
01.858.642.1988 • WWW.ATSBIO.COM

MOA-SAP
TARGETED SAP CONJUGATE

Marasmius oreades agglutinin (MOA)-saporin

Catalog Number: IT-92
Quantity: 25 micrograms, 100 micrograms, 250 micrograms, 1 milligram
Format: PBS (0.14 M Sodium Chloride; 0.003 M Potassium Chloride; 0.002 M Potassium Phosphate; 0.01 M Sodium Phosphate; pH 7.4), no preservative. Sterile-filtered.

Background:

Targeted SAP conjugates are powerful and specific lesioning agents used in the technique known as Molecular Surgery. The ribosome-inactivating protein, saporin (from the seeds of the plant, *Saponaria officinalis*) is bound to a targeting agent (anything that is recognized on the cell surface and internalized). The targeted conjugate is administered to cells (*in vitro* or *in vivo*). The targeting agent seeks out and binds to its target on the cell surface. The conjugate is internalized, saporin breaks away from the targeting agent, and inactivates the ribosomes which causes protein inhibition and, ultimately, cell death. Cells that do not have the cell surface marker are not affected.

The blood group B lectin present in the mushroom *Marasmius oreades* is highly specific for Gal α 1,3Gal and also recognizes the porcine xenotransplantation epitope Gal α 1,3Gal β 1,4GlcNAc/Glc and the blood group B determinant. *Marasmius oreades agglutinin (MOA)* is specific towards these epitopes present on chain ends of glycoproteins (e.g. porcine tissues and organs, bovine thyroglobulin, 3T3 cells, murine laminin, Ehrlich ascites tumor cells) and glycolipids. *In vivo* studies have shown glomerular microvascular endothelial binding of this lectin, thus this conjugate could be used as an effective tool for studying glomerular endothelial injury, acute kidney failure, and thrombotic microangiopathies.

Specificity and Preparation:

This targeted toxin recognizes cells that express specific galactose residues (Gal α 1,3Gal and Gal α 1,3Gal β 1,4GlcNAc/Glc). MOA-SAP is a bonded conjugate between the blood group B lectin present in the mushroom *Marasmius Oreades* and the secondary conjugate Streptavidin-ZAP (IT-27) containing the ribosome-inactivating protein, saporin.

Usage and Storage:

MOA-SAP eliminates cells expressing Gal α 1,3Gal and Gal α 1,3Gal β 1,4GlcNAc/Glc. All other cells are left untouched. **There may be lot-to-lot variation in material; working dilutions must be determined by end user. If this is a new lot, you must assess the proper working dilution before beginning a full experimental protocol.**

Gently spin down material before use; 5-10 seconds in a microfuge should be adequate. Store the material in undiluted aliquots at -20°C . Material should be aliquoted to a convenient volume and quantity to avoid repeated freezing and thawing that can damage the protein content. Under these conditions, the material has a very stable shelf-life. Thawing should be done at room temperature or on ice. The thawed solution should remain on ice until use.

Do not use a reducing agent (such as dithiothreitol, beta-mercaptoethanol or ascorbic acid) with this material. It will inactivate the toxin.

This material is an extremely potent cytotoxin. Handling should be done by experienced personnel. Gloves and safety glasses are required when handling this product. Care in disposal is mandatory; autoclaving or exposure to 0.2 M sodium hydroxide will inactivate the material. All labware that comes into contact with this material should be likewise treated.



6352 CORTE DEL ABETO, STE B
CARLSBAD, CA 92011 USA
01.858.642.1988 • WWW.ATSBIO.COM

**MOA-SAP
TARGETED SAP CONJUGATE**

Available Control(s): Saporin

Safety:

Good laboratory technique must be employed for safe handling of this product.

This requires observation of the following practices:

1. Wear appropriate laboratory attire, including lab coat, gloves and safety glasses.
2. Do not pipet by mouth, inhale, ingest or allow product to come into contact with open wounds. Wash thoroughly any part of the body which comes into contact with the product.
3. Avoid accidental autoinjection by exercising extreme care when handling in conjunction with any injection device.
4. This product is intended for research use by qualified personnel only. It is not intended for use in humans or as a diagnostic agent. Advanced Targeting Systems is not liable for any damages resulting from the misuse or handling of this product.

To view protocol(s) for this and other products please visit: www.ATSBio.com/support/protocols