PPP1CA IHC Antibody

Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP 002699.1

Catalog No. IHC-00483-T Gene ID 5499



APPLICATIONS IHC-P, IF

REACTIVITY TESTED Human. Other species have not been tested.

PRESUMED REACTIVITY Based on 100% sequence identity, this antibody is predicted to react with Rat, Bovine, Dog, Horse,

Rabbit, Guinea pig_10141, Pig, Panda, Orangutan, Rhesus Monkey, Gorilla, Chimpanzee, Tasmanian

devil, African elephant, Chinese hamster and Gray short-tailed opossum.

ISOTYPE IgG

AMOUNT 10 μl

STORAGE/SHELF LIFE 2 - 8° C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-buffered Saline containing 0.1% BSA containing 0.09% Sodium Azide

ORIGIN USA

PRODUCTION PROCEDURES

Antibody was affinity purified using an epitope specific to PPP1CA immobilized on solid support.

The epitope recognized by IHC-00483-T maps to a region between residue 280 and the C-terminus (residue 330) of human Protein Phosphatase 1, Catalytic Subunit, Alpha Isoform using the numbering

given in entry NP_002699.1 (GeneID 5499).

Immunoglobulin concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4

equals 1.0 mg of IgG.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Immunohistochemistry 1:100 - 1:500
Immunofluorescence 1:50 - 1:500

APPLICATION NOTES Epitope exposure is recommended.

Epitope exposure with tris-EDTA pH9. 0 buffer will enhance staining.


Likely to work with frozen sections.

In some cases, the antibody may be diluted further than indicated.

IHC HUMAN CONTROLS Breast Carcinoma, Ovarian Carcinoma, Testicular Seminoma

ADDITIONAL INFO http://www.bethyl.com/product/IHC-00483-T

Use the link above to view SDS, a current list of citations, and other product specific information.



Detection of Human PPP1CA by Immunohistochemistry. *Sample:* FFPE section of human breast carcinoma. *Antibody:* Affinity purified rabbit anti-PPP1CA (Cat. No. IHC-00483-T) used at a dilution of 1:250. *Detection:* DAB staining using Immunohistochemistry Accessory Kit (Cat. No. IHC-101). Epitope Retrieval Buffer-High pH (IHC-101J) was substituted for Epitope Retrieval Buffer-Reduced pH.