Anti-Human CD24 FITC

Catalogue Number : 06311-50 RUO: For Research Use Only. Not for use in diagnostic procedures.

Product Information

Clone: SN3 Format/Conjugate: FITC Concentration: 5 uL (0.25 ug)/test Reactivity: Human Laser: Blue (488nm) Peak Emission: 520nm Peak Excitation: 494nm Filter: 530/30 Brightness (1=dim,5=brightest): 3 Isotype: Mouse IgG1, kappa Formulation: Phosphate-buffered aqueous solution, ≤0.09% Sodium azide, may contain carrier protein/stabilizer, ph7.2. Storage: Product should be kept at 2-8°C and protected from prolonged exposure to light. Applications: FC

Description

The SN3 monoclonal antibody specifically reacts with human CD24, a 35-45 kDA molecule also known as the Heat Stable Antigen (HAS), Ly-52, Nectadrin. It can be used as a marker for distinguishing between lymphocyte developmental stages as its expression varies on T and B cells during differentiation. CD24 is also expressed on monocytes, dendritic cells, hematopoietic stem cells, epidermal Lagershans cells, and neurons.

Preparation & Storage

The product should be stored undiluted at 4°C and should be protected from prolonged exposure to light. Do not freeze. The monoclonal antibody was purified utilizing affinity chromatography and unreacted dye was removed from the product.

Application Notes

The antibody has been analyzed for quality through the flow cytometric analysis of the relevant cell type. The antibody can be used at less than or equal to 5 μ L per test. A test is the amount of antibody required to stain a cell sample in the final volume of 100 μ L.

References

1.Kristiansen, G., Machado, E., Bretz, N., Rupp, C., Winzer, K. J., König, A. K., ... ; Altevogt, P. (2010). Molecular and clinical dissection of CD24 antibody specificity by a comprehensive comparative analysis.;Laboratory Investigation,90(7), 1102-1116.

2. Leucocyte typing IV: white cell differentiation antigens. Oxford University Press, 1989.

Derived from Human Embryonic Stem Cells.;Stem Cells,;29(4), 609-617.