bs-5793R-A647

[Conjugated Primary Antibody]

Rabbit Anti-Protein C inhibitor Polyclonal Antibody, ALEXA FLUOR® 647 Conjugated

— D A	T A S H E E T
	Rabbit
Target Protein:	Protein C inhibitor
Clonality:	Polyclonal
Isotype:	IgG
Entrez Gene:	5104
Swiss Prot:	
Source:	KLH conjugated synthetic peptide derived from human Protein C inhibitor
Purification:	Purified by Protein A.
Storage:	Aqueous buffered solution containing 100ug/ml BSA, 50% glycerol and 0.09% sodium azide. Store at 4°C for 12 months.
Background:	Protein C Inhibitor (PCI), a member of the serine protease inhibitor (serpin) superfamily, is abundant in plasma and other body fluids. Protein C Inhibitor inhibits a number of "arginine specific" serine proteases of the coagulation and fibrinolytic systems (including thrombin,

ckground: Protein C Inhibitor (PCI), a member of the serine protease inhibitor (serpin) superfamily, is abundant in plasma and other body fluids. Protein C Inhibitor inhibits a number of "arginine specific" serine proteases of the coagulation and fibrinolytic systems (including thrombin, trypsin, and activated Protein C), as well as plasma and tissue kallikreins and the sperm protease acrosin. This inhibition is regulated by glycosaminoglycans, such as heparin and heparan sulphate, and several polyanions. As well as its roles in the regulation of hemostasis and fertilisation, Protein C Inhibitor is involved in cell inflammation, proliferation, apoptosis, tumour cell migration, invasion, and metastasis. Recent studies have demonstrated an association between Protein C Inhibitor and multiple sclerosis lesions.



www.biossusa.com support@biossusa.com 800.501.7654 [DOMESTIC] +1.781.569.5821 [INTERNATIONAL]

Conjugation: ALEXA FLUOR® 647

Excitation/ 652nm/668nm Emission:

Size: 100ul

Concentration: 1ug/ul

Applications: IF(IHC-P)(1:50-200)

Cross Reactive Human Species: Mouse Rat

Caution: For research use only. Not for human or animal therapeutic or diagnostic use.