

# Mouse Anti-Herpes Simplex Virus Type 2 Glycoprotein E MAb

Mouse, Monoclonal (HSV-2 gE)

Cat. No. DMAB3606 Lot. No. (See product label)

#### PRODUCT INFORMATION

**Product Overview:** Monoclonal Antibody to Herpes Simplex Virus Type 2 (HSV-2), Glycoprotein E (gE)

Specificity: HSV 2, specific for gE

Clone: A102 Isotype: IgG2 Source: Ascites

Immunogen: Infected cell lysate

Host animal: Mouse. Format: FITC, Liquid

**Applications:** Suitable for use in ELISA. A starting range of of 1:5–1:20 is recommended. Each laboratory shoulddetermine an optimum working titer for use in its particular application. Other applications have not beentested but use in such assays should not necessarily be excluded.

**Purification:** Protein A purified antibody conjugated with high purity isomer I of fluorescein isothiocyanate. Care is takento ensure complete removal of any free

fluorescein from the final product. **Affinity Constant:** Not determined

### REFERENCES

1. Peretti, S., et al., (2005), "Immunomodulatory effects of HSV-2 infection of immature macaque dendritic cells modify innate and adaptive responses", Blood, 106(4): 1305-1313

2. Jones, C.A., et al., (2003), "Herpes Simplex Virus Type 2 Induces Rapid Cell Death and Functional Impairment of Murine Dendritic Cells In Vitro", Journal of Virology, 77(20): 11139-11149

#### **BACKGROUND**

Introduction: Herpes simplex type 2 (HSV2) belongs to a family that includes HSV1, Epstein-Barr virus (EBV) and Varicella zoster (chicken pox) virus. HSV1 and HSV2 are extremely difficult to distinguish from each other. These viruses have a DNA genome, an icosahedral protein coat and are encased in a lipid membrane derived from the nuclear membrane of the last host. These viruses are capable of entering a latent phase where the host shows no visible sign of infection and levels of infectious agent become very low. During the latent phase the viral DNA is integrated into the genome of the host cell.

**Keywords:** Herpesviridae; Alphaherpesvirinae; Simplexvirus; Herpes simplex virus 2; HSV 2; Herpes Simplex Virus Type 2; HSV-2; Envelope glycoprotein E; Herpes Simplex Virus Type 2 Glycoprotein E; Herpes simplex virus 2; Herpesvirus 2; US8; Virion glycoprotein E; HSV-2 gE

## **PACKAGING**

**Concentration:** 100ug/ml (OD280nm, E0.1% = 1.3) **Buffer:** 0.01M PBS, pH 7.2 containing 10mg/ml BSA

Preservative: 0.1% Sodium azide

**Storage:** Short-term (up to 6 months) store at 2–8°C.

Long term, aliquot and store at -20°C.

**Warning:** This product contains sodium azide, which has been classified as Xn (Harmful), in European Directive67/548/EEC in the concentration range of 0.1–1.0%. When disposing of this reagent through lead or copperplumbing, flush with copious volumes of water to prevent azide build-up in drains.