

11-162-C100

Monoclonal Antibody to CD267 / TACI Purified Antibody (0.1 mg)

Clone: 1A1

Isotype: Rat IgG2a

Specificity: The rat monoclonal antibody 1A1 recognizes CD267 / TACI, a 32 kDa type III

transmembrane protein expressed by B cells and possibly by some activated T

cells.

HLDA 8 Workshop

Regulatory Status: RUO

Immunogen: CD267-transfected RBL cells

Species Reactivity: Human

Application: Flow Cytometry

Purity: > 95% (by SDS-PAGE)

Purification: Purified by protein-A affinity chromatography

Concentration: 1 mg/ml

Storage Buffer: Phosphate buffered saline (PBS) with 15 mM sodium azide, approx. pH 7.4

Storage / Stability: Store at 2-8°C. Do not freeze. Do not use after expiration date stamped on vial

label.

Expiration: See vial label

Lot Number: See vial label

Background: CD267 / TACI (Transmembrane Activator Calcium modulator and cyclophilin ligand

Interactor), a TNFR superfamily transmembrane protein, is expressed on B cells (predominantly on CD27+ memory cells), multiple myeloma cells and B cell chronic lymphocytic leukemia (B-CLL). Its triggering leads to activation of the transcription factors NFAT, AP1, and NF-kappa-B. It plays a crucial role in humoral immunity. Mutations in CD267 are associated with common variable immunodeficiency and

IgA deficiency.

References: *Koarada S, Tada Y, Suematsu R, Soejima S, Inoue H, Ohta A, Nagasawa K:

Phenotyping of P105-negative B cell subsets in patients with systemic lupus

erythematosus. Clin Dev Immunol. 2012;2012:198206.

Unless indicated otherwise, all products are For Research Use Only and not for diagnostic or therapeutic use. Not for resale or transfer either as a stand-alone product or as a component of another product without written consent of EXBIO. EXBIO will not be held responsible for patent infringement or other violations that may occur with the use of our products. All orders are accepted subject to EXBIO's term and conditions which are available at www.exbio.cz.