

Product Specifications

Product:	Chicken anti-Goat IgG (H&L) - Affinity Pure
Description:	Chicken anti-Goat IgG (H&L) - Affinity Pure, FITC Conjugate
Part Number:	CkxGt-003-DFITC
Concentration:	1.5 mg/ml (E 1% at 280 nm = 13.2)
Amount:	1.0 mg
Conjugate:	Fluorescein-5-isothiocyanate (FITC) Amax = 494 nm; Emax = 518 nm
Form:	Clear, fluorescent yellow liquid
Purification:	Affinity purified using solid phase Goat IgG
Purity:	Affinity purified antibody is > 95% based on SDS-PAGE
Host:	Chicken
Immunogen:	Purified Goat IgG, whole molecule
Buffer:	10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free
Preservative:	0.05% (w/v) Sodium Azide
Storage:	2-8 °C
Shelf Life:	1 year from date of receipt. Prepare working dilution prior to use and then discard.
Specificity:	Based on IEP, this antibody reacts with: <ul style="list-style-type: none">● heavy (γ) chains on goat IgG● light chains on all goat immunoglobulins
Cross Reactivity:	Based on IEP, no reactivity is observed to: <ul style="list-style-type: none">● non-immunoglobulin goat serum immunoglobulins
Country of Origin:	Chicken Ig fraction was prepared using eggs from healthy hens of US origin.
Applications:	This conjugate is suitable for immunomicroscopy and flow cytometry. The optimal working dilution should be determined by the investigator. Suggested starting dilution(s): <ul style="list-style-type: none">● 1:20 - 1:2,000 for most applications
Disclaimer:	For <i>in vitro</i> Laboratory Use Only. Not intended for diagnostic or therapeutic use. Not for human or animal consumption. Suggested applications of our products are not recommendations to use our products in violation of any patent or as a license under any patent of ImmunoReagents, Inc.

Product may not be resold or modified for resale without prior written

approval of ImmunoReagents, Inc.