


| TBXA2R/Thromboxane A2 Receptor Rabbit anti-Human Polyclonal (Cytoplasmic Domain) Antibody - LS-A1277 - LSBio | |
|--|--|
| CatalogID: | LS-A1277 |
| Target: | thromboxane A2 receptor (TBXA2R) |
| Synonyms: | TBXA2R Antibody, BDPLT13 Antibody, Prostanoid TP receptor Antibody, Txa2 receptor Antibody, Thromboxane A2 receptor Antibody, TXA2-R Antibody |
| Family / Subfamily: | GPCR / Prostanoid |
| Host | TBXA2R antibody was produced in Rabbit |
| Clonality: | Polyclonal |
| Immunogen Species: | TBXA2R/Thromboxane A2 Receptor antibody was raised against Human |
| Antigen Type: | Synthetic peptide |
| Immunogen: | TBXA2R/Thromboxane A2 Receptor antibody was raised against synthetic 16 amino acid peptide from 1st cytoplasmic domain of human TBXA2R. Percent identity with other species by BLAST analysis: Human, Gorilla, Panda (100%); Gibbon, Monkey, Marmoset, Bovine (94%); Bat, Elephant (88%); Dog (81%). |
| Specificity: | Human TBXA2R. BLAST analysis of the peptide immunogen showed no homology with other human proteins. |
| Epitope: | Cytoplasmic Domain |
| Reactivity: | Human, Gorilla |
| Predicted Reactivity: | Gibbon, Monkey, Bovine |
| Purification: | Immunoaffinity purified |
| Presentation: | PBS, 0.1% sodium azide. |
| Recommended Storage: | Long term: -70°C; Short term: +4°C |
| Uses: | IHC - Paraffin (20 µg/ml) (Optimal dilution to be determined by the researcher) |
| Size: | 50 µg |
| Concentration: | 1 mg/ml |

Immunohistochemistry Image:



Anti-TBXA2R antibody LS-A1277 IHC of human uterus. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences