

CatalogID:	LS-A1552
Target:	matrix metallopeptidase 13 (collagenase 3) (MMP13)
Synonyms:	MMP13 Antibody, Collagenase 3 Antibody, Matrix metalloproteinase-13 Antibody, Interstitial collagenase Antibody, MANDP1 Antibody, MMP-13 Antibody, CLG3 Antibody
Family / Subfamily:	Protease / Metallopeptidase M10A
Host	MMP13 antibody was produced in Rabbit
Clonality:	Polyclonal
Immunogen Species:	MMP13 / MMP-13 antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	MMP13 / MMP-13 antibody was raised against synthetic 18 amino acid peptide from N-terminus of human MMP13. Percent identity with other species by BLAST analysis: Human (100%); Gorilla, Gibbon, Monkey (94%); Marmoset (83%).
Specificity:	Human MMP13. BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Epitope:	N-Terminus
Reactivity:	Human
Predicted Reactivity:	Gorilla, Gibbon, Monkey
Purification:	Immunoaffinity purified
Presentation:	PBS, 0.1% sodium azide.
Recommended Storage:	Store at 4°C for short term applications. For long term storage, aliquot and store a -20°C.
Usage Summary:	Immunohistochemistry: LS-A1552 was validated for use in immunohistochemistry on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary antibody, slides were incubated with biotinylated secondary antibody, followed by alkaline phosphatase-streptavidin and chromogen. The stained slides were evaluated by a pathologist to confirm staining specificity. The optimal working concentration for LS-A1552 was determined to be 17 ug/ml.
Uses:	IHC - Paraffin (17 µg/ml) (Optimal dilution to be determined by the researcher)
Size:	50 µg
Concentration:	1 mg/ml

Immunohistochemistry Image:

