


ADAMTS1 Rabbit anti-Human Polyclonal (Internal) Antibody - LS-A1639 - LSBio

CatalogID:	LS-A1639
Target:	ADAM metalloproteinase with thrombospondin type 1 motif, 1 (ADAMTS1)
Synonyms:	ADAMTS1 Antibody, ADAM-TS Antibody, ADAMTS-1 Antibody, ADAM-TS 1 Antibody, C3-C5 Antibody, ADAM-TS1 Antibody, METH-1 Antibody, METH1 Antibody, KIAA1346 Antibody
Family / Subfamily:	Protease / Metalloproteinase M12B
Host	ADAMTS1 antibody was produced in Rabbit
Clonality:	Polyclonal
Immunogen Species:	ADAMTS1 antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	ADAMTS1 antibody was raised against synthetic 17 amino acid peptide from internal region of human ADAMTS1. Percent identity with other species by BLAST analysis: Human, Gorilla (100%); Orangutan, Monkey, Marmoset (94%); Gibbon (88%).
Specificity:	Human ADAMTS1. BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Epitope:	Internal
Reactivity:	Human, Gorilla
Predicted Reactivity:	Orangutan, Monkey
Purification:	Immunoaffinity purified
Presentation:	PBS, 0.1% sodium azide.
Recommended Storage:	Store at 4°C for short term applications. For long term storage, aliquot and store at -20°C.
Usage Summary:	Immunohistochemistry: LS-A1639 was validated for use in immunohistochemistry on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary antibody, slides were incubated with biotinylated secondary antibody, followed by alkaline phosphatase-streptavidin and chromogen. The stained slides were evaluated by a pathologist to confirm staining specificity. The optimal working concentration for LS-A1639 was determined to be 13 ug/ml.
Uses:	IHC - Paraffin (13 µg/ml) (Optimal dilution to be determined by the researcher)
Size:	50 µg
Concentration:	1 mg/ml

Immunohistochemistry Image:



Anti-ADAMTS1 antibody LS-A1639 IHC of human testis, vessels. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences