


FFAR3 / GPR41 Rabbit anti-Human Polyclonal (Internal) Antibody - LS-A1737 - LSBio


CatalogID:	LS-A1737
Target:	free fatty acid receptor 3 (FFAR3)
Synonyms:	FFAR3 Antibody, G-protein coupled receptor 41 Antibody, FFA3R Antibody, Gpcr41 Antibody, Gpr42 Antibody, Free fatty acid receptor 3 Antibody, G protein-coupled receptor 41 Antibody, GPR41 Antibody
Family / Subfamily:	GPCR / Carboxylic Acid
Host	FFAR3 antibody was produced in Rabbit
Clonality:	Polyclonal
Immunogen Species:	FFAR3 / GPR41 antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	FFAR3 / GPR41 antibody was raised against synthetic 16 amino acid peptide from internal region of human FFAR3. Percent identity with other species by BLAST analysis: Human, Gorilla, Gibbon (100%); Monkey, Marmoset, Goat (81%).
Specificity:	Human FFAR3. BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Epitope:	Internal
Reactivity:	Human, Gorilla, Gibbon
Purification:	Immunoaffinity purified
Presentation:	PBS, 0.1% sodium azide.
Recommended Storage:	Long term: -70°C; Short term: +4°C
Usage Summary:	Immunohistochemistry with formalin-fixed paraffin-embedded tissues requires pretreatment with Proteinase K.
Uses:	IHC - Paraffin (5 µg/ml) (Optimal dilution to be determined by the researcher)
Size:	50 µg
Concentration:	1 mg/ml

Immunohistochemistry Image:



Anti-FFAR3 antibody LS-A1737 IHC of human liver. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Immunohistochemistry Image:



Anti-FFAR3 antibody LS-A1737 IHC of human adrenal. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences