


NR4A1 / NUR77 Rabbit anti-Human Polyclonal (N-Terminus) Antibody - LS-A1812 - LSBio	
CatalogID:	LS-A1812
Target:	nuclear receptor subfamily 4, group A, member 1 (NR4A1)
Synonyms:	NR4A1 Antibody, GFRP1 Antibody, Early response protein NAK1 Antibody, HMR Antibody, NGFIB Antibody, Orphan nuclear receptor TR3 Antibody, Orphan receptor tr3 Antibody, Steroid receptor TR3 Antibody, TR3 Antibody, NAK1 Antibody, NGFI-B Antibody, NP10 Antibody, Receptor NGFIB Antibody, Testicular receptor 3 Antibody, TR3 orphan receptor Antibody, N10 Antibody, NAK-1 Antibody, NUR77 Antibody, Orphan nuclear receptor HMR Antibody
Family / Subfamily:	NHR / NR4 Nerve growth factor-like
Host	NR4A1 antibody was produced in Rabbit
Clonality:	Polyclonal
Immunogen Species:	NR4A1 / NUR77 antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	NR4A1 / NUR77 antibody was raised against synthetic 16 amino acid peptide from N-terminal to DNA binding domain of human NUR77. Percent identity with other species by BLAST analysis: Human (100%); Gorilla, Gibbon, Monkey (94%); Orangutan, Marmoset, Elephant (88%); Bovine, Panda, Horse (81%).
Specificity:	Human NUR77. BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Epitope:	N-Terminus
Reactivity:	Human
Predicted Reactivity:	Gorilla, Gibbon, Monkey
Purification:	Immunoaffinity purified
Presentation:	PBS, 0.1% sodium azide.
Recommended Storage:	Long term: -70°C; Short term: +4°C
Uses:	IHC - Paraffin (5 µg/ml) (Optimal dilution to be determined by the researcher)
Size:	50 µg
Concentration:	1 mg/ml

Immunohistochemistry Image:



Anti-NUR77 antibody LS-A1812 IHC of human ovary. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences