


| F2R / Thrombin Receptor / PAR1 Rabbit anti-Human Polyclonal (N-Terminus) Antibody - LS-A2621 - LSBio | |
|--|---|
| CatalogID: | LS-A2621 |
| Target: | coagulation factor II (thrombin) receptor (F2R) |
| Synonyms: | F2R Antibody, CF2R Antibody, Coagulation factor II receptor Antibody, PAR1 Antibody, PAR-1 Antibody, Thrombin receptor Antibody, TR Antibody, HTR Antibody, Protease-activated receptor 1 Antibody |
| Family / Subfamily: | GPCR / Proteinase-activated |
| Host | F2R antibody was produced in Rabbit |
| Clonality: | Polyclonal |
| Immunogen Species: | F2R / Thrombin Receptor / PAR1 antibody was raised against Human |
| Antigen Type: | Synthetic peptide |
| Immunogen: | F2R / Thrombin Receptor / PAR1 antibody was raised against synthetic 19 amino acid peptide from N-terminal extracellular domain of human Thrombin Receptor. Percent identity with other species by BLAST analysis: Human, Gibbon, Baboon, Monkey (100%); Gorilla (95%). |
| Specificity: | Human Thrombin Receptor. BLAST analysis of the peptide immunogen showed no homology with other human proteins, except GRIN1 (47%). |
| Epitope: | N-Terminus |
| Reactivity: | Human, Gibbon, Monkey |
| Predicted Reactivity: | Gorilla |
| Purification: | Immunoaffinity purified |
| Presentation: | PBS, 0.1% sodium azide. |
| Recommended Storage: | Long term: -70°C; Short term: +4°C |
| Uses: | IHC - Paraffin (7.2 µg/ml) (Optimal dilution to be determined by the researcher) |
| Size: | 50 µg |
| Concentration: | 1 mg/ml |

Immunohistochemistry Image:



Anti-Thrombin Receptor antibody LS-A2621 IHC of human tonsil. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences