


**CELSR3 Rabbit anti-Human Polyclonal (N-Terminus) Antibody - LS-A2735 - LSBio**

<b>CatalogID:</b>	LS-A2735
<b>Target:</b>	cadherin, EGF LAG seven-pass G-type receptor 3 (CELSR3)
<b>Synonyms:</b>	CELSR3 Antibody, Anchor protein Antibody, Cadherin family member 11 Antibody, CDHF11 Antibody, EGF-like protein 1 Antibody, EGF-like-domain, multiple 1 Antibody, Epidermal growth factor-like 1 Antibody, Flamingo homolog 1 Antibody, FMI1 Antibody, KIAA0812 Antibody, MEGF2 Antibody, Megf3 Antibody, HFMI1 Antibody, Multiple EGF-like domains 2 Antibody, RESDA1 Antibody, EGFL1 Antibody
<b>Family / Subfamily:</b>	GPCR / Orphan-U
<b>Host</b>	CELSR3 antibody was produced in Rabbit
<b>Clonality:</b>	Polyclonal
<b>Immunogen Species:</b>	CELSR3 antibody was raised against Human
<b>Antigen Type:</b>	Synthetic peptide
<b>Immunogen:</b>	CELSR3 antibody was raised against synthetic 15 amino acid peptide from N-terminal extracellular domain of human CELSR3. Percent identity with other species by BLAST analysis: Human, Gorilla, Gibbon (100%); Monkey, Marmoset (93%).
<b>Specificity:</b>	Human CELSR3. BLAST analysis of the peptide immunogen showed no homology with other human proteins.
<b>Epitope:</b>	N-Terminus
<b>Reactivity:</b>	Human, Gorilla, Gibbon
<b>Predicted Reactivity:</b>	Monkey
<b>Purification:</b>	Immunoaffinity purified
<b>Presentation:</b>	PBS, 0.1% sodium azide.
<b>Recommended Storage:</b>	Long term: -70°C; Short term: +4°C
<b>Uses:</b>	IHC - Paraffin (34 µg/ml) (Optimal dilution to be determined by the researcher)
<b>Size:</b>	50 µg
<b>Concentration:</b>	1 mg/ml

**Immunohistochemistry Image:**



Anti-CELSR3 antibody LS-A2735 IHC of human brain, Purkinje neurons.  
Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

**Requested From:**

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences