



HRH3 / Histamine 3 Receptor Rabbit anti-Human Polyclonal (Cytoplasmic Domain) Antibody - LS-A3262 - LSBio	
CatalogID:	LS-A3262
Target:	histamine receptor H3 (HRH3)
Synonyms:	HRH3 Antibody, G protein-coupled receptor 97 Antibody, GPCR97 Antibody, H3 histamine receptor Antibody, H3R Antibody, HH3R Antibody, Histamine H3 receptor Antibody, Histamine receptor H3 Antibody, G-protein coupled receptor 97 Antibody, Histamine 3 receptor Antibody
Family / Subfamily:	GPCR / Histamine
Host	HRH3 antibody was produced in Rabbit
Clonality:	Polyclonal
Immunogen Species:	HRH3 / Histamine 3 Receptor antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	HRH3 / Histamine 3 Receptor antibody was raised against synthetic 16 amino acid peptide from 2nd cytoplasmic domain of human HRH3 / Histamine H3 Receptor. Percent identity with other species by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Mouse, Rat, Hamster, Elephant, Bovine, Horse, Guinea pig (100%); Panda, Bat, Dog (94%); Opossum (81%).
Specificity:	Human HRH3 / Histamine H3 Receptor. BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Epitope:	Cytoplasmic Domain
Reactivity:	Human, Gorilla, Gibbon, Monkey, Mouse, Rat, Bovine, Guinea pig, Hamster, Horse
Predicted Reactivity:	Bat, Dog
Purification:	Immunoaffinity purified
Presentation:	PBS, 0.1% sodium azide.
Recommended Storage:	Long term: -70°C; Short term: +4°C
Uses:	IHC - Paraffin (7 - 15 µg/ml) (Optimal dilution to be determined by the researcher)
Uses Not Recommended:	Western blot
Size:	50 µg
Concentration:	1 mg/ml

Immunohistochemistry Image:



Anti-Histamine 3 Receptor / HRH3 antibody IHC of human brain, neurons.
Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-A3262 dilution 7-15 ug/ml.

Immunohistochemistry Image:



Anti-Histamine 3 Receptor / HRH3 antibody IHC of human brain, neurons and glia. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-A3262 dilution 7-15 ug/ml.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences