


CCKAR / CCK1R Rabbit anti-Human Polyclonal (C-Terminus) Antibody - LS-A3291 - LSBio

| | |
|------------------------------|---|
| CatalogID: | LS-A3291 |
| Target: | cholecystokinin A receptor (CCKAR) |
| Synonyms: | CCKAR Antibody, CCK-A receptor Antibody, CCK-AR Antibody, CCKRA Antibody, CCK-A Antibody, CCKA receptor Antibody, Cholecystokinin A receptor Antibody, Cck1r Antibody, CCK1-R Antibody, Cholecystokinin-1 receptor Antibody |
| Family / Subfamily: | GPCR / Cholecystokinin |
| Host | CCKAR antibody was produced in Rabbit |
| Clonality: | Polyclonal |
| Immunogen Species: | CCKAR / CCK1R antibody was raised against Human |
| Antigen Type: | Synthetic peptide |
| Immunogen: | CCKAR / CCK1R antibody was raised against synthetic 20 amino acid peptide from C-terminus of human CCKAR. Percent identity with other species by BLAST analysis: Human (100%); Gorilla, Gibbon, Marmoset (95%); Monkey (90%); Panda (85%); Elephant, Dog, Guinea pig (80%). |
| Specificity: | Human CCKAR. BLAST analysis of the peptide immunogen showed no homology with other human proteins. |
| Epitope: | C-Terminus |
| Reactivity: | Human |
| Predicted Reactivity: | Gorilla, Gibbon, Monkey |
| Purification: | Immunoaffinity purified |
| Presentation: | PBS, 0.1% sodium azide. |
| Recommended Storage: | Long term: -70°C; Short term: +4°C |
| Uses: | IHC - Paraffin (9 µg/ml) (Optimal dilution to be determined by the researcher) |
| Size: | 50 µg |
| Concentration: | 1 mg/ml |

Immunohistochemistry Image:



Anti-CCKAR antibody LS-A3291 IHC of human gall bladder, epithelium.
Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences