CCR6 Rabbit anti-Human Polyclonal (C-Terminus) Antibody - LS-A358 - LSBio

CatalogID:	LS-A358
Target:	chemokine (C-C motif) receptor 6 (CCR6)
Synonyms:	CCR6 Antibody, C-c chemokine receptor 6 Antibody, CD196 antigen Antibody, BN-1 Antibody, C-C chemokine receptor type 6 Antibody, C-C CKR-6 Antibody, Chemokine c-c motif receptor 6 Antibody, CKRL3 Antibody, CMKBR6 Antibody, Chemokine (C-C) receptor 6 Antibody, Chemokine receptor-like 3 Antibody, Cc chemokine receptor 6 Antibody, CC-CKR-6 Antibody, CCR-6 Antibody, DCR2 Antibody, DRY6 Antibody, G protein-coupled receptor 29 Antibody, DRY-6 Antibody, G-protein coupled receptor 29 Antibody, GPR29 Antibody, GPRCY4 Antibody, Strl-22 Antibody, STRL22 Antibody, CD196 Antibody, CKR-L3 Antibody, GPR-CY4 Antibody, LARC receptor Antibody
Family / Subfamily:	GPCR / Chemokine
Host	CCR6 antibody was produced in Rabbit
Clonality:	Polyclonal
Immunogen Species:	CCR6 antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	CCR6 antibody was raised against synthetic 20 amino acid peptide from C-terminus of human CCR6. Percent identity with other species by BLAST analysis: Human, Gorilla, Gibbon, Monkey (100%); Mouse, Rat, Horse (80%).
Specificity:	Human CCR6. BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Epitope:	C-Terminus
Reactivity:	Human, Gorilla, Gibbon, Monkey
Purification:	Immunoaffinity purified
Presentation:	PBS, 0.1% sodium azide.
Recommended Storage:	Long term: -70°C; Short term: +4°C
Uses:	IHC - Paraffin (5 µg/ml) (Optimal dilution to be determined by the researcher)
Size:	50 µg
Concentration:	1 mg/ml

Immunohistochemistry Image:

Anti-CCR6 antibody LS-A358 IHC of human tonsil. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Requested From:	Japan