


HUNK / B19 Rabbit anti-Human Polyclonal (Internal) Antibody - LS-A6920 - LSBio


CatalogID:	LS-A6920
Target:	hormonally up-regulated Neu-associated kinase (HUNK)
Synonyms:	HUNK Antibody, B19 Antibody, Bstk1 Antibody, Mak-v Antibody, MAKV Antibody
Family / Subfamily:	Protein Kinase / AMPK/SNF1
Host	HUNK antibody was produced in Rabbit
Clonality:	Polyclonal
Immunogen Species:	HUNK / B19 antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	HUNK / B19 antibody was raised against synthetic 18 amino acid peptide from internal region of human HUNK. Percent identity with other species by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey (100%); Marmoset (94%); Mouse, Rat, Hamster, Panda, Bovine, Horse (89%); Rabbit (83%).
Specificity:	Human HUNK. BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Epitope:	Internal
Reactivity:	Human, Chimpanzee, Gorilla, Gibbon
Predicted Reactivity:	Monkey
Purification:	Immunoaffinity purified
Presentation:	PBS, 0.1% sodium azide.
Recommended Storage:	Long term: -70°C; Short term: +4°C
Uses:	IHC - Paraffin (4 µg/ml) (Optimal dilution to be determined by the researcher)
Size:	50 µg
Concentration:	1 mg/ml

Immunohistochemistry Image:



Anti-HUNK / B19 antibody IHC of human breast, epithelium. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-A6920 dilution 4 ug/ml.

Immunohistochemistry Image:



Anti-HUNK / B19 antibody IHC of human prostate, epithelium. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody LS-A6920 dilution 4 ug/ml.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences