



NEK9 Rabbit anti-Human Polyclonal (Pro/Ser/Thr Rich Domain) Antibody - LS-A7968 - LSBio	
<b>CatalogID:</b>	LS-A7968
<b>Target:</b>	NIMA-related kinase 9 (NEK9)
<b>Synonyms:</b>	NEK9 Antibody, KIAA1995 Antibody, NERCC Antibody, NERCC1 Antibody, Nercc1 kinase Antibody, NIMA-related kinase 8 Antibody, NIMA-related kinase Nek8 Antibody, NIMA-related kinase 9 Antibody, NimA-related protein kinase 9 Antibody
<b>Family / Subfamily:</b>	Protein Kinase / NEK
<b>Host</b>	NEK9 antibody was produced in Rabbit
<b>Clonality:</b>	Polyclonal
<b>Immunogen Species:</b>	NEK9 antibody was raised against Human
<b>Antigen Type:</b>	Synthetic peptide
<b>Immunogen:</b>	NEK9 antibody was raised against synthetic 15 amino acid peptide from Pro/Ser/Thr rich domain of human NEK9. Percent identity with other species by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Marmoset, Hamster, Elephant, Panda, Horse, Rabbit, Pig (100%); Mouse, Rat, Dog, Bovine, Bat, Opossum (93%); Platypus (87%); Turkey, Chicken (80%).
<b>Specificity:</b>	Human NEK9. BLAST analysis of the peptide immunogen showed no homology with other human proteins.
<b>Epitope:</b>	Pro/Ser/Thr Rich Domain
<b>Reactivity:</b>	Human, Gorilla, Gibbon, Monkey, Hamster, Horse, Pig, Rabbit
<b>Predicted Reactivity:</b>	Mouse, Rat, Bat, Bovine, Dog
<b>Purification:</b>	Immunoaffinity purified
<b>Presentation:</b>	PBS, 0.1% sodium azide.
<b>Recommended Storage:</b>	Long term: -70°C; Short term: +4°C
<b>Usage Summary:</b>	Proteinase K treatment is required for antigen retrieval.
<b>Uses:</b>	IHC - Paraffin (10 µg/ml) (Optimal dilution to be determined by the researcher)
<b>Size:</b>	50 µg
<b>Concentration:</b>	1 mg/ml

**Immunohistochemistry Image:**



Anti-NEK9 antibody LS-A7968 IHC of human testis. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

**Immunohistochemistry Image:**



Anti-NEK9 antibody LS-A7968 IHC of human adrenal. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

**Requested From:**

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences