



TXLNB Rabbit anti-Human Polyclonal (Internal) Antibody - LS-A8160 - LSBio	
CatalogID:	LS-A8160
Target:	taxilin beta (TXLNB)
Synonyms:	TXLNB Antibody, Beta-taxilin Antibody, DJ522B19.2 Antibody, LST001 Antibody, MDP77 Antibody, Muscle-derived protein 77 Antibody, Taxilin beta Antibody, C6orf198 Antibody, HMDP77 Antibody, RP3-522B19.2 Antibody
Host	TXLNB antibody was produced in Rabbit
Clonality:	Polyclonal
Immunogen Species:	TXLNB antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	TXLNB antibody was raised against synthetic 17 amino acid peptide from internal region of human TXLNB. Percent identity with other species by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Marmoset, Dog, Bovine, Bat, Elephant, Panda, Rabbit (100%); Mouse, Rat, Hamster (94%); Opossum, Platypus (88%).
Specificity:	Human TXLNB. BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Epitope:	Internal
Reactivity:	Human, Gorilla, Gibbon, Monkey, Bat, Bovine, Dog, Rabbit
Predicted Reactivity:	Mouse, Rat, Hamster
Purification:	Immunoaffinity purified
Presentation:	PBS, 0.1% sodium azide.
Recommended Storage:	Long term: -70°C; Short term: +4°C
Uses:	IHC - Paraffin (7.5 - 10 μg/ml) (Optimal dilution to be determined by the researcher)
Size:	50 μg
Concentration:	1 mg/ml

Immunohistochemistry Image:



Anti-TXLNB antibody LS-A8160 IHC of human skeletal muscle. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Immunohistochemistry Image:



Anti-TXLNB antibody LS-A8160 IHC of human colon, ganglion cells. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Requested From: Japan

Laboratory Reagent For In Vitro Research Use Only
Not for resale without prior written consent from LifeSpan BioSciences, Inc.
Created on 9/23/2014
© 2014 LifeSpan BioSciences