



FKSG89 / MBOAT4 Rabbit anti-Human Polyclonal (Internal) Antibody - LS-A9976 - LSBio	
<b>CatalogID:</b>	LS-A9976
<b>Target:</b>	membrane bound O-acyltransferase domain containing 4 (MBOAT4)
<b>Synonyms:</b>	MBOAT4 Antibody, FKSG89 Antibody, Ghrelin O-acyltransferase Antibody, OACT4 Antibody
<b>Host</b>	MBOAT4 antibody was produced in Rabbit
<b>Clonality:</b>	Polyclonal
<b>Immunogen Species:</b>	FKSG89 / MBOAT4 antibody was raised against Human
<b>Antigen Type:</b>	Synthetic peptide
<b>Immunogen:</b>	FKSG89 / MBOAT4 antibody was raised against synthetic 14 amino acid peptide from internal region of human MBOAT4. Percent identity with other species by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey (100%); Orangutan, Marmoset, Horse (93%); Guinea pig (86%).
<b>Specificity:</b>	Human MBOAT4. BLAST analysis of the peptide immunogen showed no homology with other human proteins.
<b>Epitope:</b>	Internal
<b>Reactivity:</b>	Human, Chimpanzee, Gorilla, Gibbon
<b>Predicted Reactivity:</b>	Orangutan, Monkey, Horse
<b>Purification:</b>	Immunoaffinity purified
<b>Presentation:</b>	PBS, 0.1% sodium azide.
<b>Recommended Storage:</b>	Long term: -70°C; Short term: +4°C
<b>Uses:</b>	IHC - Paraffin (5 - 10 µg/ml) (Optimal dilution to be determined by the researcher)
<b>Size:</b>	50 µg
<b>Concentration:</b>	1 mg/ml

**Immunohistochemistry Image:**



Anti-MBOAT4 antibody LS-A9976 IHC of human thyroid, medullary carcinoma.  
Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

**Immunohistochemistry Image:**



Anti-MBOAT4 antibody LS-A9976 IHC of human stomach. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

**Requested From:**

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences