



TSC22D3 / GILZ Rabbit anti-Human Polyclonal (N-Terminus) Antibody - LS-B10077 - LSBio	
CatalogID:	LS-B10077
Catalogib:	L3-B10077
Validation:	This antibody replaces catalog number LS-C201041. It has been validated for use in the following assays: IHC-P.
Target:	TSC22 domain family, member 3 (TSC22D3)
Synonyms:	TSC22D3 Antibody, DSIPI Antibody, DIP Antibody, DSIP-immunoreactive peptide Antibody, GILZ Antibody, TSC-22 related protein Antibody, Protein DIP Antibody, TSC22 domain family protein 3 Antibody, HDIP Antibody, TSC-22-like protein Antibody, TSC-22-related protein Antibody, TSC-22R Antibody, TSC22 domain family, member 3 Antibody
Host	TSC22D3 antibody was produced in Rabbit
Clonality:	Polyclonal
Isotype:	IgG
Immunogen Species:	TSC22D3 / GILZ antibody was raised against Human
Immunogen:	TSC22D3 / GILZ antibody was raised against 16 amino acid peptide near the amino terminus of human TSC22D3.
Specificity:	Human TSC22D3 / GILZ
Epitope:	N-Terminus
Reactivity:	Human, Mouse
Purification:	Immunoaffinity purified
Presentation:	PBS, 0.02% sodium azide.
Recommended Storage:	Long term: -20°C; Short term: +4°C. Avoid repeat freeze-thaw cycles.
Uses:	IHC - Paraffin (10 μg/ml), Immunofluorescence (20 μg/ml), Western blot (1 - 2 μg/ml) ELISA (Optimal dilution to be determined by the researcher)
Size:	50 µg
Concentration:	1 mg/ml

Immunohistochemistry Image:




Human Lung: Formalin-Fixed, Paraffin-Embedded (FFPE)

Immunofluorescence Image:



Immunofluorescence of TSC22D3 in human small intestine tissue with TSC22D3 antibody at 20 $\,$ ug/ml.

Western Blot Image:



Western blot analysis of TSC22D3 in human small intestine tissue lysate with TSC22D3 antibody at (A) 1 and (B) 2 ug/ml.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only
Not for resale without prior written consent from LifeSpan BioSciences, Inc.
Created on 9/23/2014
© 2014 LifeSpan BioSciences