



RNF39 Goat anti-Human Polyclonal (C-Terminus) Antibody - LS-B10275 - LSBio		
CatalogID:	LS-B10275	
Validation:	This antibody replaces catalog number LS-C55411. It has been validated for use in the following assays: IHC-P.	
Target:	ring finger protein 39 (RNF39)	
Synonyms:	RNF39 Antibody, HZF Antibody, HZFW Antibody, LIRF Antibody, Protein HZFw Antibody, HZFw1 Antibody, Ring finger protein 39 Antibody	
Host	RNF39 antibody was produced in Goat	
Clonality:	Polyclonal	
Immunogen Species:	RNF39 antibody was raised against Human	
Antigen Type:	Synthetic peptide	
Immunogen:	RNF39 antibody was raised against synthetic peptide CDPRAPLRIVPAES from the C-terminus of human RNF39 (NP_079512.1; NP_739575.1). Percent identity by BLAST analysis: Human, Chimpanzee, Monkey (100%); Gorilla, Gibbon, Marmoset (93%); Rat, Elephant, Rabbit, Pig (86%).	
Specificity:	Human RNF39. This antibody is expected to recognize 2 of the 3 reported isoforms (NP_079512.1 and NP_739575.1 but not NP_739576.1)	
Epitope:	C-Terminus	
Reactivity:	Human, Chimpanzee	
Purification:	Immunoaffinity purified	
Presentation:	Tris-buffered saline, pH 7.3, 0.5% BSA, 0.02% sodium azide	
Recommended Storage:	Store at -20°C. Minimize freezing and thawing.	
Uses:	IHC - Paraffin (10 μg/ml), Western blot (1:16000) & (1 - 3 μg/ml), ELISA (1:16000) (Optimal dilution to be determined by the researcher)	
Size:	50 µg	
Concentration:	0.5 mg/ml	

Immunohistochemistry Image:



Human Small Intestine: Formalin-Fixed, Paraffin-Embedded (FFPE)

Western Blot Image:



Antibody staining (1 ug/ml) of human brain lysate (RIPA buffer, 35 ug total protein per lane). Primary incubated for 1 hour. Detected by Western blot of chemiluminescence.

Requested From:	Japan
-----------------	-------

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences