


BDH2 Goat anti-Human Polyclonal (aa60-71) Antibody - LS-B10295 - LSBio	
CatalogID:	LS-B10295
Validation:	This antibody replaces catalog number LS-C61711. It has been validated for use in the following assays: IHC-P.
Target:	3-hydroxybutyrate dehydrogenase, type 2 (BDH2)
Synonyms:	BDH2 Antibody, DHRS6 Antibody, EFA6R Antibody, PRO20933 Antibody, UCPA-OR Antibody, Oxidoreductase UCPA Antibody, SDR15C1 Antibody, UNQ6308 Antibody
Host	BDH2 antibody was produced in Goat
Clonality:	Polyclonal
Immunogen Species:	BDH2 antibody was raised against Human
Antigen Type:	Synthetic peptide
Immunogen:	BDH2 antibody was raised against synthetic peptide C-TKQQIDQFANE from an internal region of human BDH2 (NP_064524.3). Percent identity by BLAST analysis: Human, Gorilla, Monkey, Marmoset, Bat (100%); Hamster, Bovine, Rabbit, Horse (92%); Mouse, Rat, Pig (83%).
Specificity:	Human BDH2.
Epitope:	aa60-71
Reactivity:	Human, Gorilla, Monkey, Bat
Purification:	Immunoaffinity purified
Presentation:	Tris-buffered saline, pH 7.3, 0.5% BSA, 0.02% sodium azide
Recommended Storage:	Store at -20°C. Minimize freezing and thawing.
Uses:	IHC - Paraffin (5 µg/ml), Western blot (0.3 - 1 µg/ml), ELISA (1:64000) (Optimal dilution to be determined by the researcher)
Size:	50 µg
Concentration:	0.5 mg/ml

Immunohistochemistry Image:



Human Kidney: Formalin-Fixed, Paraffin-Embedded (FFPE)

Western Blot Image:



Antibody (0.3 ug/ml) staining of Human Kidney lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Requested From:	Japan
Laboratory Reagent For In Vitro Research Use Only	
Not for resale without prior written consent from LifeSpan BioSciences, Inc.	
Created on 9/23/2014	
© 2014 LifeSpan BioSciences	