



DAP12 Rabbit anti-Human Polyclonal (aa85-113) Antibody - LS-B10432 - LSBio	
<b>CatalogID:</b>	LS-B10432
<b>Validation:</b>	This antibody replaces catalog number LS-C160355. It has been validated for use in the following assays: IHC-P.
<b>Target:</b>	TYRO protein tyrosine kinase binding protein (TYROBP)
<b>Synonyms:</b>	TYROBP Antibody, DNAX-activation protein 12 Antibody, DAP12 Antibody, PLOSL Antibody, KARAP Antibody, KAR-associated protein Antibody, PLO-SL Antibody
<b>Host</b>	TYROBP antibody was produced in Rabbit
<b>Clonality:</b>	Polyclonal
<b>Immunogen Species:</b>	DAP12 antibody was raised against Human
<b>Antigen Type:</b>	Synthetic peptide
<b>Immunogen:</b>	DAP12 antibody was raised against kLH-conjugated synthetic peptide from C-terminal region of human TYROBP.
<b>Specificity:</b>	Human DAP12
<b>Epitope:</b>	aa85-113
<b>Reactivity:</b>	Human
<b>Purification:</b>	Immunoaffinity purified
<b>Presentation:</b>	PBS, 0.09% sodium azide
<b>Recommended Storage:</b>	Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.
<b>Uses:</b>	IHC - Paraffin (1:100), Western blot (1:1000), Flow Cytometry (1:10 - 1:50) (Optimal dilution to be determined by the researcher)
<b>Size:</b>	200 µl

**Immunohistochemistry Image:**




Human Lung: Formalin-Fixed, Paraffin-Embedded (FFPE)

**Flow Cytometry Image:**



TYROBP Antibody (C-term) flow cytometry of HepG2 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

**Western Blot Image:**



Western blot of TYROBP Antibody (C-term) in HepG2 cell line lysates (35 ug/lane). TYROBP (arrow) was detected using the purified Pab.

**Requested From:**

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences