


CST3 / Cystatin C Rabbit anti-Human Polyclonal Antibody - LS-B10633 - LSBio


CatalogID:	LS-B10633
Validation:	This antibody replaces catalog number LS-C211192. It has been validated for use in the following assays: IHC-P.
Target:	cystatin C (CST3)
Synonyms:	CST3 Antibody, ARMD11 Antibody, BA218C14.4 (cystatin C) Antibody, Cystatin-3 Antibody, Cystatin 3 Antibody, Cystatin C Antibody, Cystatin-C Antibody, Gamma-trace Antibody, Post-gamma-globulin Antibody
Host	CST3 antibody was produced in Rabbit
Clonality:	Polyclonal
Isotype:	IgG
Immunogen Species:	CST3 / Cystatin C antibody was raised against Human
Antigen Type:	Recombinant protein
Immunogen:	CST3 / Cystatin C antibody was raised against recombinant human Cystatin-C protein.
Specificity:	Human CST3 / Cystatin C
Reactivity:	Human
Purification:	Caprylic acid and ammonium sulfate precipitation
Presentation:	PBS, pH 7.4, 0.03% Proclin 300, 50% glycerol.
Recommended Storage:	Aliquot and store at -20°C or -80°C. Avoid freeze-thaw cycles.
Uses:	IHC - Paraffin (10 µg/ml), Western blot, ELISA (Optimal dilution to be determined by the researcher)
Size:	50 µg

Immunohistochemistry Image:



Human Kidney: Formalin-Fixed, Paraffin-Embedded (FFPE)

Western Blot Image:



Western blot of Anti-Cystatin C antibody at 2 ug/ml + human positive serum. Secondary: Goat polyclonal to Rabbit IgG at 1:15000 dilution. Predicted band size:16 kDa. Observed band size: 16 kDa.

Requested From:

Japan

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences