



PON1 / ESA Rabbit anti-Human Polyclonal (aa121-149) Antibody - LS-B10685 - LSBio		
CatalogID:	LS-B10685	
Validation:	This antibody replaces catalog number LS-C163862. It has been validated for use in the following assays: IHC-P.	
Target:	paraoxonase 1 (PON1)	
Synonyms:	PON1 Antibody, A-esterase 1 Antibody, Aromatic esterase 1 Antibody, Esterase A Antibody, ESA Antibody, K-45 Antibody, MVCD5 Antibody, Paraoxonase 1 Antibody, PON 1 Antibody, Serum aryldialkylphosphatase 1 Antibody, Arylesterase B-type Antibody, Paraoxonase B-type Antibody, PON Antibody, Serum aryldiakylphosphatase Antibody	
Host	PON1 antibody was produced in Rabbit	
Clonality:	Polyclonal	
Immunogen Species:	PON1 / ESA antibody was raised against Human	
Antigen Type:	Synthetic peptide	
Immunogen:	PON1 / ESA antibody was raised against kLH-conjugated synthetic peptide from internal region of human PON1.	
Specificity:	Human PON1	
Epitope:	aa121-149	
Reactivity:	Human	
Purification:	Immunoaffinity purified	
Presentation:	PBS, 0.09% sodium azide	
Recommended Storage:	Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.	
Uses:	IHC - Paraffin (1:100), Western blot (1:1000), Flow Cytometry (1:10 - 1:50) (Optimal dilution to be determined by the researcher)	
Size:	200 μΙ	

Immunohistochemistry Image:




Human Liver: Formalin-Fixed, Paraffin-Embedded (FFPE)

Flow Cytometry Image:



PON1 Antibody (Center) flow cytometry of CEM cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

Western Blot Image:



Western blot analysis of lysate from human blood plasma, using PON1 Antibody at a dilution of 1:1000. Lysate at 35ug per lane.

Requested From:	
-----------------	--

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 9/23/2014

© 2014 LifeSpan BioSciences