

| STIM2 Sheep anti-Human Polyclonal (N-Terminus) Antibody - LS-B10816 - LSBio | |
|---|--|
| CatalogID: | LS-B10816 |
| Validation: | This antibody replaces catalog number LS-C209380. It has been validated for use in the following assays: IHC-P. |
| Target: | stromal interaction molecule 2 (STIM2) |
| Synonyms: | STIM2 Antibody, KIAA1482 Antibody, Stromal interaction molecule 2 Antibody |
| Host | STIM2 antibody was produced in Sheep |
| Clonality: | Polyclonal |
| Immunogen Species: | STIM2 antibody was raised against Human |
| Antigen Type: | Synthetic peptide |
| Immunogen: | STIM2 antibody was raised against stim II affinity purified antibody was prepared from whole sheep serum produced by repeated immunizations with a synthetic peptide near the N-terminus of human Stim II. |
| Specificity: | BLAST analysis suggests cross-reactivity with mouse based on 100% sequence homology. |
| Epitope: | N-Terminus |
| Reactivity: | Human |
| Purification: | Immunoaffinity purified |
| Presentation: | 0.02 M potassium phosphate, 0.15 M sodium chloride, pH 7.2, 30% glycerol, sterile filtered |
| Recommended Storage: | Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Centrifuge product before removing cap. Only dilute immediately prior to use. |
| Usage Summary: | Anti-Stim II antibody is useful for ELISA, IHC-P and Western Blot. Expect a band approximately ~84kD corresponding to the appropriate cell lysate or extract. |
| Uses: | IHC - Paraffin (5 μg/ml), Western blot (1 μg/ml), ELISA (1:10000) (Optimal dilution to be determined by the researcher) |
| Size: | 50 µg |

Immunohistochemistry Image:

| <image/> | in-Fixed, Paraffin-Embedded (FFPE) | |
|--|--|--|
| Requested From: | Japan | |
| Labor | atory Reagent For In Vitro Research Use Only | |
| Not for resale without prior written consent from LifeSpan BioSciences, Inc. | | |
| | Created on 9/23/2014 | |
| | © 2014 LifeSpan BioSciences | |